

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** enMotion™ Alcohol Sanitizer Gel

**Product list** enMotion™ Alcohol Sanitizer Gel SKU - 42344

**Other means of identification** None.

**Recommended use** Hand Sanitizer

**Recommended restrictions** This product is regulated as an Over-the-Counter (OTC) drug in the US and is intended for personal care use.

### Manufacturer/Importer/Supplier/Distributor information

**Company name** Manufactured for:

**Address** Georgia-Pacific Consumer Products LP  
133 Peachtree Street, NE  
Atlanta, GA 30303

**Telephone** Technical Information: 866.435.5647  
MSDS Request: 404.652.5119

**E-mail** MSDSREQ@GAPAC.com

**Emergency phone number** Chemtrec - Emergency: 800.424.9300

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 2

**Health hazards** Serious eye damage/eye irritation Category 2A

**Environmental hazards** Not classified.

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger

**Hazard statement** Highly flammable liquid and vapor. Causes serious eye irritation.

**Precautionary statement**

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Wear protective gloves/eye protection, if handling large quantities.

**Response** In the event of large spill and subsequent exposure to the product:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name | Common name and synonyms | CAS number | %  |
|---------------|--------------------------|------------|----|
| ETHYL ALCOHOL |                          | 64-17-5    | 60 |

| Chemical name                            | Common name and synonyms                                                                                                                  | CAS number | %         |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|
| ALOE VERA, LEAF EXTRACT                  |                                                                                                                                           | 85507-69-3 | 0.5 - 1.5 |
| Other components below reportable levels |                                                                                                                                           |            | 30 - 60   |
| <b>Composition comments</b>              | Percent by volume concentration of ETHYL ALCOHOL (64-17-5) is 67% (v/v).                                                                  |            |           |
|                                          | Meets Alcohol Requirements stated in FDA Tentative Final Monograph for OTC Healthcare Antiseptic Drug Products – 21 CFR Part 333.410 (a). |            |           |

#### 4. First-aid measures

|                                                                               |                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                                                             | Move to fresh air. Call a physician if symptoms develop or persist.                                                                                                                                 |
| <b>Skin contact</b>                                                           | If irritation occurs, flush skin with plenty of water. Call a physician if irritation persists.                                                                                                     |
| <b>Eye contact</b>                                                            | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| <b>Ingestion</b>                                                              | Rinse mouth. Do not induce vomiting without advice from poison control center. Get medical attention if symptoms occur.                                                                             |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.                                                                             |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically.                                                                                                                                      |
| <b>General information</b>                                                    | Wash contaminated clothing before reuse.                                                                                                                                                            |

#### 5. Fire-fighting measures

|                                                                      |                                                                                                                                                       |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>                                  | Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.         |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                                                                                |
| <b>Specific hazards arising from the chemical</b>                    | Flammable liquid - may release vapors that form flammable mixtures at or above the flash point. During fire, gases hazardous to health may be formed. |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.                                                         |
| <b>Fire fighting equipment/instructions</b>                          | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.                                  |
| <b>Specific methods</b>                                              | Use standard firefighting procedures and consider the hazards of other involved materials.                                                            |
| <b>General fire hazards</b>                                          | Highly flammable liquid and vapor.                                                                                                                    |

#### 6. Accidental release measures

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contained.                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Methods and materials for containment and cleaning up</b>               | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge.<br><br>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.<br><br>Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| <b>Environmental precautions</b>                                           | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

#### 7. Handling and storage

|                                      |                                                                                                                                                                                                                                                                                         |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Precautions for safe handling</b> | For external use only. Keep out of the reach of children. Do not get this material in contact with eyes. Wear gloves and safety glasses or goggles if handling large quantities. Do not handle or store near an open flame, heat or other sources of ignition. When using do not smoke. |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

**8. Exposure controls/personal protection****Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Components                  | Type | Value      |
|-----------------------------|------|------------|
| ETHYL ALCOHOL (CAS 64-17-5) | PEL  | 1900 mg/m3 |
|                             |      | 1000 ppm   |

**US. ACGIH Threshold Limit Values**

| Components                  | Type | Value    |
|-----------------------------|------|----------|
| ETHYL ALCOHOL (CAS 64-17-5) | STEL | 1000 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components                  | Type | Value      |
|-----------------------------|------|------------|
| ETHYL ALCOHOL (CAS 64-17-5) | TWA  | 1900 mg/m3 |
|                             |      | 1000 ppm   |

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

General ventilation normally adequate.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** None necessary under normal conditions of use. Wear safety glasses or goggles if handling large quantities.

**Skin protection**

**Hand protection** None necessary under normal conditions of use. Wear appropriate gloves if handling large quantities.

**Other** None necessary under normal conditions of use. Wear appropriate gloves if handling large quantities.

**Respiratory protection** Under normal conditions of use respiratory protection is not expected to be required.

**Thermal hazards** Not applicable.

**General hygiene considerations**

When using do not smoke.

**9. Physical and chemical properties**

|                                                     |                                 |
|-----------------------------------------------------|---------------------------------|
| <b>Appearance</b>                                   | Clear                           |
| <b>Physical state</b>                               | Liquid gel                      |
| <b>Form</b>                                         | Liquid gel.                     |
| <b>Color</b>                                        | Colorless                       |
| <b>Odor</b>                                         | Alcohol                         |
| <b>Odor threshold</b>                               | Not available.                  |
| <b>pH</b>                                           | 6 - 8.5                         |
| <b>Melting point/freezing point</b>                 | Not available                   |
| <b>Initial boiling point and boiling range</b>      | 173.3 °F (78.5 °C) estimated    |
| <b>Flash point</b>                                  | 65.0 - 68.0 °F (18.3 - 20.0 °C) |
| <b>Evaporation rate</b>                             | Not available.                  |
| <b>Flammability (solid, gas)</b>                    | Not available.                  |
| <b>Upper/lower flammability or explosive limits</b> |                                 |
| <b>Explosive limit - lower (%)</b>                  | Not available.                  |
| <b>Explosive limit - upper (%)</b>                  | Not available.                  |

|                                            |                              |
|--------------------------------------------|------------------------------|
| Vapor pressure                             | Not available.               |
| Vapor density                              | Not available.               |
| Relative density                           | Not available.               |
| Solubility(ies)                            |                              |
| Solubility (water)                         | Complete                     |
| Partition coefficient<br>(n-octanol/water) | Not available.               |
| Auto-ignition temperature                  | 685 °F (362.78 °C) estimated |
| Decomposition temperature                  | Not available.               |
| Viscosity                                  | Not available.               |
| Other information                          |                              |
| Percent volatile                           | >66                          |
| Specific gravity                           | 0.9 +/-0.2                   |
| VOC (Weight %)                             | Not available                |

## 10. Stability and reactivity

|                                    |                                                                                                                                                |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport.                                                  |
| Chemical stability                 | Material is stable under normal conditions.                                                                                                    |
| Possibility of hazardous reactions | Hazardous polymerization does not occur.                                                                                                       |
| Conditions to avoid                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials             | Strong oxidizing agents. Acids. Metals. Chlorine.                                                                                              |
| Hazardous decomposition products   | Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be released.                                            |

## 11. Toxicological information

### Information on likely routes of exposure

|              |                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------|
| Inhalation   | No effects expected under normal conditions of use.                                                        |
| Skin contact | No effects expected under normal conditions of use. Prolonged skin contact may cause temporary irritation. |
| Eye contact  | Causes serious eye irritation.                                                                             |
| Ingestion    | No effects expected under normal conditions of use. May be harmful if swallowed.                           |

|                                                                              |                                                                                                               |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Symptoms related to the physical, chemical and toxicological characteristics | Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|

### Information on toxicological effects

#### Acute toxicity

| Product                                  | Species | Test Results                |
|------------------------------------------|---------|-----------------------------|
| enMotion™ Alcohol Sanitizer Gel          |         |                             |
| <b><u>Acute</u></b>                      |         |                             |
| <b>Dermal</b>                            |         |                             |
| LD50                                     | Rabbit  | 5000 g/kg estimated         |
| <b>Inhalation</b>                        |         |                             |
| LC50                                     | Rat     | 195 mg/l, 4 Hours estimated |
| <b>Oral</b>                              |         |                             |
| LD50                                     | Mouse   | 13634 mg/kg estimated       |
| Components                               | Species | Test Results                |
| ALOE VERA, LEAF EXTRACT (CAS 85507-69-3) |         |                             |
| <b><u>Acute</u></b>                      |         |                             |
| <b>Oral</b>                              |         |                             |
| LD50                                     | Rat     | > 5000 mg/kg                |

| Components                  | Species | Test Results            |
|-----------------------------|---------|-------------------------|
| ETHYL ALCOHOL (CAS 64-17-5) |         |                         |
| <b>Acute</b>                |         |                         |
| <b>Inhalation</b>           |         |                         |
| LC50                        | Rat     | 117 - 125 mg/l, 4 Hours |
| <b>Oral</b>                 |         |                         |
| LD50                        | Mouse   | 8300 mg/kg              |

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not hazardous under normal conditions of use.

Ethanol: Chronic ingestion of ethanol in alcoholic beverages is classified by IARC as Group 1 Carcinogenic to humans.

Aloe: The decolorized form of aloe vera as used in this product is not hazardous under normal conditions of use. The non-decolorized whole leaf extract of aloe vera is classified by IARC as Group 2B Possibly Carcinogenic to Humans.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

ALOE VERA, LEAF EXTRACT (CAS 85507-69-3) Group 2B Possibly carcinogenic to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity** Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause reproductive/developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver toxicity.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product                         | Species |                                      | Test Results                        |
|---------------------------------|---------|--------------------------------------|-------------------------------------|
| enMotion™ Alcohol Sanitizer Gel |         |                                      |                                     |
| Aquatic                         |         |                                      |                                     |
| Fish                            | LC50    | Fish                                 | 20483.0332 mg/l, 96 hours estimated |
| Components                      | Species |                                      | Test Results                        |
| ETHYL ALCOHOL (CAS 64-17-5)     |         |                                      |                                     |
| Aquatic                         |         |                                      |                                     |
| Fish                            | LC50    | Fathead minnow (Pimephales promelas) | 13400 - 15100 mg/l, 96 hours        |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

#### Bioaccumulative potential

**Partition coefficient n-octanol / water (log Kow)**

ETHYL ALCOHOL -0.31

|                              |                                                                                                                                                                                         |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mobility in soil</b>      | No data available.                                                                                                                                                                      |
| <b>Other adverse effects</b> | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

### 13. Disposal considerations

|                                              |                                                                                                                                                                                                                  |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal instructions</b>                 | This product, if discarded as supplied, is considered a hazardous waste under RCRA, D001.                                                                                                                        |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.                                                                                                                                                           |
| <b>Hazardous waste code</b>                  | D001: Waste Flammable material with a flash point <140 F                                                                                                                                                         |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty packaging/container can be disposed in accordance with all applicable regulations.             |

### 14. Transport information

#### DOT-Consumer commodity

##### Consumer commodity

|                                     |                                                                         |
|-------------------------------------|-------------------------------------------------------------------------|
| <b>UN number</b>                    | Not available.                                                          |
| <b>UN proper shipping name</b>      | Consumer commodity                                                      |
| <b>Transport hazard class(es)</b>   |                                                                         |
| <b>Class</b>                        | ORM-D                                                                   |
| <b>Subsidiary risk</b>              | -                                                                       |
| <b>Label(s)</b>                     | None                                                                    |
| <b>Packing group</b>                | Not applicable.                                                         |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Packaging exceptions</b>         | 156, 306                                                                |
| <b>Packaging non bulk</b>           | 156, 306                                                                |
| <b>Packaging bulk</b>               | None                                                                    |

#### DOT

|                                     |                                                                          |
|-------------------------------------|--------------------------------------------------------------------------|
| <b>UN number</b>                    | UN1170                                                                   |
| <b>UN proper shipping name</b>      | Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions |
| <b>Transport hazard class(es)</b>   |                                                                          |
| <b>Class</b>                        | 3                                                                        |
| <b>Subsidiary risk</b>              | -                                                                        |
| <b>Label(s)</b>                     | 3                                                                        |
| <b>Packing group</b>                | II                                                                       |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling.  |
| <b>Special provisions</b>           | 24, IB2, T4, TP1                                                         |
| <b>Packaging exceptions</b>         | 4b, 150                                                                  |
| <b>Packaging non bulk</b>           | 202                                                                      |
| <b>Packaging bulk</b>               | 242                                                                      |

#### IATA

|                                     |                                                                         |
|-------------------------------------|-------------------------------------------------------------------------|
| <b>UN number</b>                    | UN1170                                                                  |
| <b>UN proper shipping name</b>      | Ethanol solution                                                        |
| <b>Transport hazard class(es)</b>   |                                                                         |
| <b>Class</b>                        | 3                                                                       |
| <b>Subsidiary risk</b>              | -                                                                       |
| <b>Packing group</b>                | II                                                                      |
| <b>Environmental hazards</b>        | No.                                                                     |
| <b>ERG Code</b>                     | 3L                                                                      |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |

##### Other information

|                                     |          |
|-------------------------------------|----------|
| <b>Passenger and cargo aircraft</b> | Allowed. |
| <b>Cargo aircraft only</b>          | Allowed. |

#### IMDG

|                                |                                                                      |
|--------------------------------|----------------------------------------------------------------------|
| <b>UN number</b>               | UN1170                                                               |
| <b>UN proper shipping name</b> | ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |

|                                                                                 |                                                                         |
|---------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Transport hazard class(es)</b>                                               |                                                                         |
| Class                                                                           | 3                                                                       |
| Subsidiary risk                                                                 | -                                                                       |
| Packing group                                                                   | II                                                                      |
| <b>Environmental hazards</b>                                                    |                                                                         |
| Marine pollutant                                                                | No.                                                                     |
| EmS                                                                             | F-E, S-D                                                                |
| <b>Special precautions for user</b>                                             | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not established.                                                        |
| <b>DOT</b>                                                                      |                                                                         |



IATA; IMDG



## 15. Regulatory information

**US federal regulations** SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This product is regulated under the US Federal Food, Drug, and Cosmetic Act.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

|                          |                        |
|--------------------------|------------------------|
| <b>Hazard categories</b> | Immediate Hazard - Yes |
|                          | Delayed Hazard - No    |
|                          | Fire Hazard - Yes      |
|                          | Pressure Hazard - No   |
|                          | Reactivity Hazard - No |

### SARA 302 Extremely hazardous substance

Not listed.

|                                        |     |
|----------------------------------------|-----|
| <b>SARA 311/312 Hazardous chemical</b> | Yes |
|----------------------------------------|-----|

### SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

### Safe Drinking Water Act (SDWA)

Not regulated.

## US state regulations

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

### US. Massachusetts RTK - Substance List

ETHYL ALCOHOL (CAS 64-17-5)

### US. New Jersey Worker and Community Right-to-Know Act

ETHYL ALCOHOL (CAS 64-17-5)

### US. Pennsylvania Worker and Community Right-to-Know Law

ETHYL ALCOHOL (CAS 64-17-5)

### US. Rhode Island RTK

Not regulated.

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## 16. Other information, including date of preparation or last revision

**Issue date** April-30-2015

**Version #** 01

**HMIS® ratings** Health: 2  
Flammability: 3  
Physical hazard: 0

**NFPA ratings** Health: 2  
Flammability: 3  
Instability: 0

**Disclaimer** This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.

**Revision Information** Product and Company Identification: Product Codes  
Composition / Information on Ingredients: Ingredients  
Physical & Chemical Properties: Multiple Properties  
Toxicological Information: Toxicological Data  
Ecological Information: Ecotoxicity  
Transport Information: Proper Shipping Name/Packing Group  
HazReg Data: North America  
GHS: Classification