SAFETY DATA SHEET



1. Identification

Product identifier Foam Hand Sanitizer, Fragrance Free, Dye Free

Product list Pacific Garden® Foam Hand Sanitizer Fragrance Free, Dye Free SKU 43331

Pacific Garden® Automated Foam Hand Sanitizer Fragrance Free, Dye Free SKU 43332 Pacific Garden® Foam Hand Sanitizer, Fragrance Free, Dye Free 45mL SKU 48003

Pacific Blue Ultra™ Foam Hand Sanitizer with Moisturizers SKU 43335

Pacific Blue Select™ Foam Hand Sanitizer with Moisturizers Countertop SKU 44331

Other means of identification None.

Recommended use Hand Sanitizer

Recommended restrictions This product is regulated as an Over-the-Counter (OTC) drug in the US and is intended for

personal care use.

Manufacturer/Importer/Supplier/Distributor information

Company name Manufactured for:

Address Georgia-Pacific Consumer Products LP

133 Peachtree Street, NE

Atlanta, GA 30303

Telephone Technical Information: 866.435.5647

SDS Request: 404.652.5119

E-mail MSDSREQ@GAPAC.com

Emergency phone number Chemtrec - Emergency: 800.424.9300

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 2Health hazardsEye irritationCategory 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapor. Causes serious eye irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Wear protective gloves/eye protection, if handling large quantities.

Response In the event of large spill and subsequent exposure to the product:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:

Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|---|-------------------------------|--------------------|
| ETHYL ALCOHOL | | 64-17-5 | 55-70 |
| ISOPROPYL ALCOHOL | | 67-63-0 | 1 - 5 |
| Composition comments | Percent by volume concentration of ETHYL ALCOHOL (64-17-5) is 70% (v/v). | | |
| | Meets Alcohol Requirements stated in FDA Te Antiseptic Drug Products – 21 CFR Part 333.4 | 0 1 | OTC Healthcare |
| 4. First-aid measures | | | |
| Inhalation | Move to fresh air. Call a physician if symptoms | develop or persist. | |
| Skin contact | If irritation occurs, flush skin with plenty of water. Call a physician if irritation persists. | | |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persist | | |
| Ingestion | Rinse mouth. Do not induce vomiting without a attention if symptoms occur. | advice from poison control ce | enter. Get medical |
| Most important symptoms/effects, acute and | Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. | | |

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Flammable liquid - may release vapors that form flammable mixtures at or above the flash point. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods General fire hazards Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

For external use only. Keep out of the reach of children. Do not get this material in contact with eyes. Wear gloves and safety glasses or goggles if handling large quantities. Do not handle or store near an open flame, heat or other sources of ignition. When using do not smoke.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Туре | Value | |
|---------------------------------------|----------------|------------|--|
| ETHYL ALCOHOL (CAS 64-17-5) | PEL | 1900 mg/m3 | |
| , | | 1000 ppm | |
| ISOPROPYL ALCOHOL (CAS 67-63-0) | PEL | 980 mg/m3 | |
| , | | 400 ppm | |
| US. ACGIH Threshold Limit Valu | es | | |
| Components | Туре | Value | |
| ETHYL ALCOHOL (CAS 64-17-5) | STEL | 1000 ppm | |
| ISOPRÓPYL ALCOHOL (CAS 67-63-0) | STEL | 400 ppm | |
| , | TWA | 200 ppm | |
| US. NIOSH: Pocket Guide to Che | emical Hazards | | |
| Components | Туре | Value | |
| ETHYL ALCOHOL (CAS 64-17-5) | TWA | 1900 mg/m3 | |
| , | | 1000 ppm | |
| ISOPROPYL ALCOHOL (CAS 67-63-0) | STEL | 1225 mg/m3 | |
| , | | 500 ppm | |
| | TWA | 980 mg/m3 | |
| | | | |

Biological limit values

ACGIH Biological Exposure Indices

| Components | Value | Determinant | Specimen | Sampling Time |
|------------------------------------|---------|-------------|----------|---------------|
| ISOPROPYL ALCOHOL (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |

400 ppm

Appropriate engineering

General ventilation normally adequate.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection None necessary under normal conditions of use. Wear safety glasses or goggles if handling large

quantities.

Skin protection

Hand protection None necessary under normal conditions of use. Wear appropriate gloves if handling large

quantities.

Other None necessary under normal conditions of use. Wear appropriate gloves if handling large

quantities.

Respiratory protection Under normal conditions of use respiratory protection is not expected to be required.

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Foam when dispensed.

^{* -} For sampling details, please see the source document.

Color Clear colorless

Alcohol Odor

Odor threshold Not available.

6 - 9 pН

-173.38 °F (-114.1 °C) estimated Melting point/freezing point 173.3 °F (78.5 °C) estimated Initial boiling point and boiling

range

68.0 °F (20.0 °C) Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

685 °F (362.78 °C) estimated **Auto-ignition temperature**

Not available. **Decomposition temperature Viscosity** Not available.

Other information

Flammability class Flammable IC estimated

0.9 Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Acids. Metals. Chlorine.

Hazardous decomposition

released.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation No effects expected under normal conditions of use.

No effects expected under normal conditions of use. Prolonged skin contact may cause temporary Skin contact

irritation.

Causes serious eve irritation. Eye contact

Ingestion No effects expected under normal conditions of use. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be

blurred vision.

Information on toxicological effects

Acute toxicity

| Product Product | Species | Test Results |
|------------------------------|--|-------------------------|
| Foam Hand Sanitizer, Fragran | • | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rabbit | 521 ml/kg estimated |
| | | 195 g/kg estimated |
| Oral | | |
| LD50 | Mouse | 13002 mg/kg estimated |
| | Rat | 459 ml/kg estimated |
| | | 185 g/kg estimated |
| Components | Species | Test Results |
| ETHYL ALCOHOL (CAS 64-1 | 7-5) | |
| <u>Acute</u> | | |
| Inhalation | | |
| LC50 | Rat | 117 - 125 mg/l, 4 Hours |
| Oral | | |
| LD50 | Mouse | 8300 mg/kg |
| ISOPROPYL ALCOHOL (CAS | 6 67-63-0) | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rabbit | 16.4 ml/kg |
| Inhalation | | |
| Vapor | 5 / | 4000 |
| LC50 | Rat | > 1000 ppm, 6 hours |
| Oral | D. (| 5.04 . // . |
| LD50 | Rat | 5.84 g/kg |
| * Estimates for product ma | ay be based on additional component | data not shown. |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | |

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not hazardous under normal conditions of use.

Ethanol: Chronic ingestion of ethanol in alcoholic beverages is classified by IARC as Group 1

Carcinogenic to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause

reproductive/developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Aspiration hazard Not an aspiration hazard.

Chronic effects Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver

toxicity.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

10000 mg/l, 96 hours

| Product | | Species | Test Results |
|------------------------|------------------|--------------------------------------|-------------------------------------|
| Foam Hand Sanitizer, F | ragrance Free, D | ye Free | |
| Aquatic | | | |
| Fish | LC50 | Fish | 19740.1641 mg/l, 96 hours estimated |
| Components | | Species | Test Results |
| ETHYL ALCOHOL (CAS | S 64-17-5) | | |
| Aquatic | | | |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 13400 - 15100 mg/l, 96 hours |
| ISOPROPYL ALCOHOL | _ (CAS 67-63-0) | | |
| Aquatic | | | |

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No

No data is available on the degradability of this product.

Pimephales promelas

Bioaccumulative potential

Fish

Partition coefficient n-octanol / water (log Kow)

ETHYL ALCOHOL -0.31 ISOPROPYL ALCOHOL 0.05

LC50

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, if discarded as supplied, is considered a hazardous waste under RCRA, D001.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Dispose in accordance with all applicable regulations.

Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN1993

UN proper shipping name Transport hazard class(es) Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quanitiy

Class 3
Subsidiary risk Label(s) 3
Packing group ||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB2, T7, TP1, TP8, TP28

Packaging exceptions 150
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN1993

UN proper shipping name Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity

Transport hazard class(es)

3 Class Subsidiary risk П Packing group **Environmental hazards** No. **ERG Code** 3H

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN number UN1993

UN proper shipping name FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), LIMITED

QUANTITY

Transport hazard class(es)

3 Class Subsidiary risk П Packing group **Environmental hazards**

Marine pollutant No. **EmS** F-E, S-E

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



General information May be classified/shipped as Limited Quantity (LTD QTY) if Packaging exceptions requirements

are met.

15. Regulatory information

US federal regulations SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This

product is regulated under the US Federal Food, Drug, and Cosmetic Act.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

ISOPROPYL ALCOHOL (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date January-19-2017

Version # 01

HMIS® ratings Health: 2

Flammability: 3 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 3 Instability: 0

Disclaimer This SDS is intended to quickly provide useful information to the user(s) of this material or product.

It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other

safety and health information about this product is inaccurate or incomplete.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.