Printing date 04/24/2014

Reviewed on 04/24/2014

1 Identification

· Product identifier

· Trade name: VMC 30

· Article number: mtmvmc30

- · Application of the substance / the mixture Floor cleaner
- Details of the supplier of the Safety Data Sheet
- · Manufacturer:

Mar-Tek Industries

14275 Midway Rd. Suite 135

Addison TX, 75001 Phone: (469) 240-1931

Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

ASSISTANCE CORPORATION

- · Label elements
- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labeling: None.
- · Hazard statements Not Regulated
- · Hazard description:
- · WHMIS-symbols: Not hazardous under WHMIS.
- Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



O Health = 0

Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

(Contd. on page 2)

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous | components: | | |
|-------------|------------------------------|---|---------|
| 102-71-6 | 2,2',2"-nitrilotriethanol | | 2.5-10% |
| 57-55-6 | Propylene Glycol | | ≤ 2.5% |
| 68439-46-3 | alcohols, C9-11, ethoxylated | Eye Dam. 1, H318 Skin Irrit. 2, H315 | ≤ 2.5% |

4 First-aid measures

- · Description of first aid measures
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed PORATION

Gastric or intestinal disorders

Slight irritant effect on skin and mucous membranes.

Slight irritant effect on eyes.

- · **Danger** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)

Safety Data Sheet 800-460-4682 | 214-381-4896

acc. to HCS and GHS

Reviewed on 04/24/2014

Trade name: VMC 30

Printing date 04/24/2014

· Additional information No further relevant information available.

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas ISTANCE CORPORATION

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 3)

Control parameters

| Γ | · Components with limit values that require monitoring at the workplace: | | |
|---|--|--|--|
| ſ | 102-71-6 2,2', | 2"-nitrilotriethanol | |
| ſ | TLV (USA) | Long-term value: 5 mg/m³ | |
| İ | EL (Canada) | Long-term value: 5 mg/m³ | |
| | EV (Canada) | Long-term value: 3.1 mg/m³, 0.5 ppm | |
| Ī | 57-55-6 Propylene Glycol | | |
| ſ | WEEL (USA) | Long-term value: 10 mg/m³ | |
| | EV (Canada) | Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only | |

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

Protection of hands: HNICAL ASSISTANCE CORPORATION

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

(Contd. on page 5)

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 4)

· Limitation and supervision of exposure into the environment No special requirements.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid Yellow
Odor: Fruit-like

· Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): 8.0

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits: ECHNICAL ASSISTANCE CORPORATION

Lower: Not determined.
Upper: Not determined.

Vapor pressure: Not determined.

Density at 20 °C (68 °F): 1.02 g/cm³ (8.512 lbs/gal)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• Other information No further relevant information available.

(Contd. on page 6)

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Stable at ambient temperature.

Possibility of hazardous reactions

Reacts with strong acids.

Reacts with strong oxidizing agents.

Reacts with strong alkali.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Store away from oxidizing agents.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- Sensitization: No sensitizing effects known. | STANCE CORPORATION
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated Dose Toxicity: Repeated exposure may cause skin dryness or cracking.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 6)

- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

STANCE CORPORATION
Not Regulated DOT, ADR, ADN, IMDG, IATA

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

· Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· Environmental hazards:

· Marine pollutant: Nο

· Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation":

(Contd. on page 8)

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 7)

| Regulatory information | |
|--|---------------|
| \cdot Safety, health and environmental regulations/legislation specific for the substance SARA | ce or mixture |
| Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| Section 313 (Specific toxic chemical listings): | |
| None of the ingredients is listed. | |
| TSCA (Toxic Substances Control Act): | |
| All ingredients are listed. | |
| · Proposition 65 (California) | |
| · Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic categories | |
| EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| · IARC (International Agency for Research on Cancer) | |
| 102-71-6 2,2',2"-nitrilotriethanol | |
| TLV (Threshold Limit Value established by ACGIH) | |
| None of the ingredients is listed. | |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| State Right to Know Listings | |
| None of the ingredients is listed. | |
| · Canadian substance listings: | |
| · Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | |
| Canadian Ingredient Disclosure list (limit 0.1%) | |
| None of the ingredients is listed. | |
| Canadian Ingredient Disclosure list (limit 1%) | |
| 102-71-6 2,2',2"-nitrilotriethanol | |
| 57-55-6 Propylene Glycol | |

800-460-4682 | 214-381-4896

Printing date 04/24/2014 Reviewed on 04/24/2014

Trade name: VMC 30

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 04/24/2014 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902 L ASSISTANCE CORPORATION

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com