

SAFETY DATA SHEET

Issue Date 01-Apr-2015 Revision Date 09-Oct-2015 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name DR SQUEEZE-N-GO FLOOR TREATMENT

Product Code DLFSNGXXDR-SNG

Customer Code SNG-32 (1 Quart) 23609 02410

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use Uses advised againstFloor Maintenance Product
Use only as stated on label.

Details of the supplier of the safety data sheet

Manufactured For / Distributed By Dynamic Research Brand a Formula Corp Brand 4432 C ST NE Auburn, WA 98002 Phone (800) 772-7005 E-Mail sales@saf-t-step.com

Emergency telephone number

24 Hour Emergency Phone Number (800) 228-5635 X059

	Z. HAZAKOS IDENTII ICATION			
Classification				
Acute toxicity - Oral	Category 5			

2 HAZADDS IDENTIFICATION

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed

Precautionary Statements - Response

- Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

Precautionary Statements - Storage

- Keep out of reach of children

Precautionary Statements - Disposal

- Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60-100	*
PROPRIETARY	Proprietary	5-10	*
Propylene Glycol	57-55-6	1-5	*
Xanthan Gum	11138-66-2	1-5	*
Tributoxyethyl Phosphate	78-51-3	1-5	*
2,2,2-Trimethyl-1,3-Petanediol Diisobutyrate	6846-50-0	.1-1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions
Incompatible materials

Keep containers tightly closed in a dry, cool and well-ventilated place.

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-methoxypropoxy)propano	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	
		S*	
1-methoxy-2-propanol	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection
Skin and body protection

No special technical protective measures are necessary. No special technical protective measures are necessary.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Color
Odor
Unite
Sweet

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.0 - 8.0 Specific Gravity 1.01 Viscosity Viscous

Melting point/freezing point No Information available

Flash point above 200F

Boiling point / boiling range No Information available

Evaporation rate Same as water

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Water solubility
Water solubility
Partition coefficient
Autoignition temperature
No Information available
No Information available
Miscible in water
No Information available

Autoignition temperature No Information available No Information available

Other Information

Density Lbs/Gal 8.4

VOC Content (%) 2.77% VOC CARB COMPLIANT for product category

10. STABILITY AND REACTIVITY

Reactivity

No data available

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Extremes of temperature None known None known based on information supplied.

and direct sunlight. based on Incompatible materials information

supplied.
Hazardous
Decomposition

Decomposition Products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

InhalationNo data available.Eye contactMay cause irritation.Skin ContactMay cause irritation.

Ingestion May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-

DR SQUEEZE-N-GO FLOOR TREATMENT

57-55-6			
1-methoxy-2-propanol 107-98-2	= 7200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 7500 mg/L (Rat) 6 h

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation MAY CAUSE SKIN IRRITATION.

SensitizationNo Information available.Germ cell mutagenicityNo Information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No Information available.
No Information available.
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

9.01% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Propylene Glycol	19000: 96 h Pseudokirchneriella	41 - 47: 96 h Oncorhynchus mykiss	10000: 24 h Daphnia magna mg/L
57-55-6	subcapitata mg/L EC50	mL/L LC50 static 51600: 96 h	EC50 1000: 48 h Daphnia magna
		Oncorhynchus mykiss mg/L LC50	mg/L EC50 Static
		static 710: 96 h Pimephales	_
		promelas mg/L LC50 51400: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Tributoxyethyl Phosphate	-	10.4 - 12.0: 96 h Pimephales	-
78-51-3		promelas mg/L LC50 flow-through	
2,2,2-Trimethyl-1,3-Petanediol	-	1.55: 96 h Pimephales promelas	1.46: 48 h Daphnia magna mg/L
Diisobutyrate		mg/L LC50 static	EC50
6846-50-0			

<u>Persistence and degradability</u> No Information available.

Bioaccumulation No Information available.

Chemical Name	Partition coefficient
Tributoxyethyl Phosphate	3.65 - 4.78
78-51-3	
	•

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

Note: The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

U.S. Department of Transportation (USDOT)

4x1 Gallon Case Not regulated

Pails & Drums (<119 Gallons) Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Reactive Hazard	No
Sudden release of pressure hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propylene Glycol	X	-	X

57-55-6			
2-(2-methoxypropoxy)propano 34590-94-8	X	X	X
1-methoxy-2-propanol 107-98-2	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Additional information No Information available.

16. OTHER INFORMATION

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
1	1	0	A

Prepared By Regulatory Department

Issue Date01-Apr-2015Revision Date09-Oct-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet