Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
SECTION 1. PRODUCT A	ND COMPANY IDENTIFICATION	
Motorial name	Lillword Owiek & Clean Owen and C	

Material name	:	Hillyard Quick & Clean Oven and Grill Cleaner	
Material number	:	HIL0103854	
Manufacturer or supplier's	deta	ils	
Company	:	Hillyard Industries	
Address	:	302 North 4 th Street Joseph, MO 64502	
Telephone	:	816-233-1321 ext 8285	

Emergency telephone numbers			
For SDS Information	:	816-233-1321 ext 8285	
For a Medical Emergency	:		
For a Transportation Emergency	:	CHEMTREC 800-424-9300	

Note: Products labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations: The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	beige
Odour	characteristic

GHS Classification

Gases under pressure Skin corrosion Serious eye damage	 Liquefied gas Category 1A Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H280 Contains gas under pressure; may explode if heated. H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling.

ersion 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously wit water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. Storage: P405 Store locked up. P410 + P403 Protect from sunlight. Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in accordance with local regulation. 	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product pres equal to 0.1% is identified as proba human carcinogen by IARC.	
ACGIH	No component of this product pres equal to 0.1% is identified as a car carcinogen by ACGIH.	ent at levels greater than or cinogen or potential
OSHA	No component of this product pres equal to 0.1% is identified as a car carcinogen by OSHA.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propane	74-98-6	>= 1 - < 5
butane	106-97-8	>= 1 - < 5
sodium hydroxide	1310-73-2	>= 1 - < 5
potassium hydroxide	1310-58-3	>= 1 - < 5
2-methylpentane-2,4-diol	107-41-5	>= 1 - < 5

Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015	
SECTION 4. FIRST AID MEASU	RES		
General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. 		
If inhaled	 Consult a physician after significan If unconscious place in recovery po advice. 	•	
In case of skin contact	 If skin irritation persists, call a phys Wash off immediately with plenty o minutes. If on clothes, remove clothes. 		
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minute 		
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to ar If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospital 	n. rected to do so by a	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Carbon dioxide (CO2) Foam Water
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing methods		Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Revision Date 04/24/2015 Print Date 05/28/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

Version 1.0

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	old contact with r personal prote hoking, eating an olication area. not breathe van ke precautionar ovide sufficient a	ction see section 8. nd drinking should be prohibited in the pours or spray mist. y measures against static discharges. air exchange and/or exhaust in work rooms. ater in accordance with local and national
Conditions for safe storage	bosure and temp throw into fire ev I-hot objects. serve label prec ep in a dry, cool ectrical installatio	l is pressurized. Keep away from direct sun peratures over 50 °C. Do not open by force ven after use. Do not spray on flames or cautions. I and well-ventilated place. ons / working materials must comply with cafety standards.
Materials to avoid	ore and keep aw	ay from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components CA	AS-No. Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
---------------	--	---	-------

ersion 1.0	Revision I	Date 04/24/2015	Print D	Date 05/28/2015
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0
2-methylpentane-2,4-diol	107-41-5	С	25 ppm	ACGIH
		С	25 ppm 125 mg/m3	NIOSH REL
		С	25 ppm 125 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
• .	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection :	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures :	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied g	jas
Colour	: beige	
Odour	: characteristic	

Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
Odour Threshold	: no data available	
рН	: >14	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: no data available	
Evaporation rate	: no data available	
Flammability (solid, gas)	: The product is not flammable.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: no data available	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Heat of combustion	: 4.41 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
reactions		Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong acids and oxidizing agents
Hazardous decomposition products	:	Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

HILL0103854		
Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
Product:		
Acute oral toxicity	: Acute toxicity estimate : 4,768 mg/ Method: Calculation method	/kg
Components:		
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 658 mg/l Exposure time: 4 h	
	LC50 rat: 1,355 mg/l	
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 1,355 mg/l	
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate rabbit: 1,35	i0 mg/kg
2-methylpentane-2,4-diol: Acute oral toxicity	: LD50 Oral rat: 3,700 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosiv	e and destructive to tissue.	
Serious eye damage/eye irritatio	n	
Product:		
Remarks: May cause irrevers	sible eye damage.	
Respiratory or skin sensitisatior		
no data available	-	
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
propane: butane: sodium hydroxide:		

Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
potassium hydroxide: 2-methylpentane-2,4-diol:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data available		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

- I O U U O U	
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
Partition coefficient: n- octanol/water 2-methylpentane-2,4-diol :	: Pow: 2.89
Partition coefficient: n- octanol/water	: Pow: 0.58
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
Additional ecological information	: no data available	
SECTION 13. DISPOSAL CONS	DERATIONS	

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, 2.2,

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2,

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, non-flammable, 2.2,

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, non-flammable, 2.2,

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.2,

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard Acute Health Hazard

Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015	
SARA 302		: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	components with known CAS number	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of t	his product are reported in the following inve	ntories:	
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.		
AICS NZIoC	Not in compliance with the inventory Not in compliance with the inventory		

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)


Not in compliance with the inventory

Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

PICCS

IECSC



OSHA GHS Label Information:

Hazard pictograms



Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
Signal word	: Danger:	
Hazard statements	 Contains gas under pressure; may explode if heated. Causes severe skin burns and eye damage. 	
Precautionary statements	:	
	Prevention: Do not breathe dust or mist. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Storage: Store locked up. Protect from sunlight. Store in a well-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.