



### 1. Identification

1. Identification	
Product identifier	POINT GUARD
Other means of identification	
SDS number	570N-148E
Product code	HIL00287
Recommended use	Gym Finish
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Manufacturer	
Manufacturer	
Company name Address	HILLYARD INDUSTRIES 302 North Fourth St.
Address	St. Joseph, MO 64501
Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail Emergency telephone #	regulatoryaffairs@hillyard.com (800) 424-9300
Emergency telephone #	(Only in the event of chemical emergency involving a spill, leak, fire, exposure,
	or accident involving chemicals.)
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	Caution
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	If on skin: Gently wash with plenty of soap and water. If in eyes, flush with water for 15 minutes. Get medical attention if irritation develops and persists If inhaled: Remove person to fresh air and keep comfortable for breathing. Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Use With Adequate Ventilation. Avoid breathing vapors or spray mist. Open windows and doors, use exhaust fans or other means to insure fresh air entry during application and drying. Do not

take internally. Keep container closed when not in use. NOTICE: Saw dust from freshly sanded floors or dust from wood floors that have been abraded between coats will spontaneously catch fire if improperly discarded. Immediately after abrading or sanding wood floors, place dust waste in a sealed, water-filled metal container and immediately remove from building.

NOTICE: Rags or applicators soaked in a combustible liquid will spontaneously catch fire if improperly discarded. Immediately after using rags or applicators soaked in a combustible liquid, place waste in a sealed, water-filled metal container and immediately remove from building.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dipropylene glycol monomethyl ether		34590-94-8	1 - < 3
Other components below reportable	levels		90 - 100

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
0 0	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
•••	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing	
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from	Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment	Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting	Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Accidental release measures 6

6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is
	possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
	Otana in animinal tighthy along a container. Otana avery from income atilla materials (and Ocation 40

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### **Occupational exposure limits**

	Туре	Value
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	PEL	600 mg/m3
,		100 ppm
US. ACGIH Threshold Lim		Value
Components	Туре	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	150 ppm
	TWA	100 ppm
US. NIOSH: Pocket Guide Components		Value
	Туре	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	900 mg/m3
	714/4	150 ppm
	TWA	600 mg/m3 100 ppm
iological limit values	No biological exposure limits noted for th	
kposure guidelines		
US - California OELs: Skin	າ designation	
Dipropylene glycol mon US - Tennessee OELs: Ski		absorbed through the skin.
US ACGIH Threshold Limi	it Values: Skin designation	absorbed through the skin.
US NIOSH Pocket Guide to	o Chemical Hazards: Skin designation	absorbed through the skin.
	s for Air Contaminants (29 CFR 1910.1000	absorbed through the skin. I)
	nomethyl ether (CAS 34590-94-8) Can be a	
Dipropylene glycol mon ppropriate engineering ontrols	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation
ppropriate engineering ontrols	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation airborne levels below recommended exposure limits. If ed, maintain airborne levels to an acceptable level.
ppropriate engineering ontrols dividual protection measure Eye/face protection Skin protection	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe s, such as personal protective equipment Not normally needed. Avoid contact with	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation airborne levels below recommended exposure limits. If ed, maintain airborne levels to an acceptable level.
ppropriate engineering ontrols dividual protection measures Eye/face protection Skin protection Hand protection	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe s, such as personal protective equipment Not normally needed. Avoid contact with For prolonged or repeated skin contact u	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation airborne levels below recommended exposure limits. If ed, maintain airborne levels to an acceptable level. eyes.
ppropriate engineering ontrols dividual protection measures Eye/face protection Skin protection Hand protection Other	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe s, such as personal protective equipment Not normally needed. Avoid contact with For prolonged or repeated skin contact u None normally required. If unable to avoi impervious clothing.	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation airborne levels below recommended exposure limits. If ed, maintain airborne levels to an acceptable level. eyes. use suitable protective gloves. id prolonged or repeated contact with skin, wear
ppropriate engineering ontrols dividual protection measures Eye/face protection Skin protection Hand protection	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe s, such as personal protective equipment Not normally needed. Avoid contact with For prolonged or repeated skin contact u None normally required. If unable to avoi impervious clothing. In case of insufficient ventilation, wear su not maintain airborne concentrations below	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation airborne levels below recommended exposure limits. If ed, maintain airborne levels to an acceptable level. eyes.
ppropriate engineering ontrols dividual protection measures Eye/face protection Skin protection Hand protection Other	Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe s, such as personal protective equipment Not normally needed. Avoid contact with For prolonged or repeated skin contact u None normally required. If unable to avoi impervious clothing. In case of insufficient ventilation, wear su not maintain airborne concentrations belo an acceptable level (in countries where e	changes per hour) should be used. Ventilation rates cable, use process enclosures, local exhaust ventilation airborne levels below recommended exposure limits. If ed, maintain airborne levels to an acceptable level. eyes. use suitable protective gloves. id prolonged or repeated contact with skin, wear uitable respiratory equipment. If engineering controls do ow recommended exposure limits (where applicable) or

Form	Liquid.
Color	Milky white
Odor	Mildly sweet
Odor threshold	Not available
рН	7 - 8
Melting point/freezing point	Not available
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)
Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup
Evaporation rate	< 1 Ethyl ether = 1
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	18.16 mm Hg
Vapor density	0.939 AIR=1
Relative density	1.03 g/l at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Density	8.58 lb/gal
Percent volatile	72.5 - 73.5 %
VOC (Weight %)	> 155 g/l

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects
Acute toxicity	

Product	Species	Test Results
POINT GUARD		
Acute		
Dermal		
LD50	Rabbit	474.7863 g/kg estimated
Inhalation		
LC50	Mouse	67200 mg/l, 1 Hours estimated
		66200 mg/l, 2 Hours estimated
Oral		
LD50	Rat	267.3797 g/kg estimated
Components	Species	Test Results
Dipropylene glycol monomethyl et	ther (CAS 34590-94-8)	
Acute		
Dermal LD50	Rabbit	9.5 g/kg
	Nabbit	9.5 y/kg
Oral LD50	Rat	5.35 g/kg
LDOU	i kat	o.oo grkg
* Estimates for product may b	be based on additional component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irrit	ation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irr	itation.
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
US. OSHA Specifically Reg Not listed.	ulated Substances (29 CFR 1910.1001-1050)	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Prolonged inhalation may be harmful.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability Bioaccumulative potential	No data is available on the degradability of this p	oduct.
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozo potential, endocrine disruption, global warming po	
13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containe contaminate ponds, waterways or ditches with ch and liability associated with disposal of this produ of applicable law.	emical or used container. Buyer assumes all risk
Local disposal regulations	Dispose in accordance with all applicable regulation	ons.
Hazardous waste code	The waste code should be assigned in discussior disposal company.	between the user, the producer and the waste

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containe product residues. This material and its container must be dispo	
Contaminated packaging	Disposal instructions). Since emptied containers may retain product residue, follow lab emptied. Triple rinse (or equivalent). Then offer clean, dry conta	
14. Transport information		
DOT		
Not regulated as dangerous g	loods.	
15. Regulatory information	n	
US federal regulations	This product is not known to be a "Hazardous Chemical" as def Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or Ex	-
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Substa Not listed. SARA 304 Emergency relea		
Not regulated.	ulated Substances (29 CFR 1910.1001-1050)	
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazard	-	
Not listed.		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
US. California Controlled Su	ubstances. CA Department of Justice (California Health and S	Safety Code Section 11100)
Not listed.		
US. Massachusetts RTK - S		
	methyl ether (CAS 34590-94-8) I Community Right-to-Know Act	
US. Pennsylvania Worker a	methyl ether (CAS 34590-94-8) nd Community Right-to-Know Law	
Dipropylene glycol monor US. Rhode Island RTK	methyl ether (CAS 34590-94-8)	
Not regulated.		
	<b>5</b> Nater and Toxic Enforcement Act of 1986 (Proposition 65): This n isted as carcinogens or reproductive toxins.	naterial is not known to contain
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
	Toxic Substances Control Act (TSCA) Inventory	Voc

Inventory name United States & Puerto Rico

Yes

Toxic Substances Control Act (TSCA) Inventory \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

## 16. Other information, including date of preparation or last revision

Issue date Version # HMIS® ratings	05-12-2015 01 Health: 1 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.