The Cleaning Resource

SAFETY DATA SHEET

1. Identification

Product identifier SUPER SHINE-ALL

Other means of identification

SDS number 476N84A Product code HIL00613 Neutral Cleaner Recommended use **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name HILLYARD INDUSTRIES **Address** 302 North Fourth St. St. Joseph, MO 64501

Regulatory Affairs Contact person

(816) 233-1321 (Ext. 8285) Telephone number

(816) 383-8485 Fax

regulatoryaffairs@hillyard.com E-mail

(800) 424-9300 **Emergency telephone #**

(Only in the event of chemical emergency involving a spill, leak, fire, exposure,

or accident involving chemicals.)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol Warning Signal word

Hazard statement Causes eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Observe good industrial hygiene practices.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Buyer assumes all risk and liability associated with disposal of this product (original concentration **Disposal**

or dilution) in violation of applicable law. Waste from normal use may be sewered to a

public-owned treatment works in compliance with applicable federal, state and local requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Use with adequate

ventilation. Wash thoroughly after handling. Do not take internally. Keep container closed when not in use. If prolonged or repeated contact is possible, wear rubber or other impervious gloves and splash goggles. Use only as directed: Improper dilution can lead to adverse health effects.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--------------------------|------------|-------|
| Camphor | | 76-22-2 | 0.003 |

Material name: SUPER SHINE-ALL SDS US 1/7

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|------------|
| Pin-2(3)-ene | | 80-56-8 | 0.0009 |
| Other components below reportable levels | | | 99.99874 |
| Additional components | | | |
| Chemical name | | CAS number | % |
| Fatty Acids, Tall-oil, Triethanolamine Salts | | 67784-78-5 | 2 - < 3.05 |
| Tall Oil, Potassium Salt | | 68647-71-2 | 0.5 - < 1 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

General information

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | |
|--|---------------|---------|--|
| Camphor (CAS 76-22-2) | PEL | 2 mg/m3 | |
| US. ACGIH Threshold Limit Value Components | s Type | Value | |
| Camphor (CAS 76-22-2) | STEL | 3 ppm | |
| | TWA | 2 ppm | |
| Pin-2(3)-ene (CAS 80-56-8) | TWA | 20 ppm | |
| US. NIOSH: Pocket Guide to Chen | nical Hazards | | |
| Components | Туре | Value | |
| Camphor (CAS 76-22-2) | TWA | 2 mg/m3 | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Chemical splash goggles where there is a potential for eye contact. Eye/face protection

Skin protection

For prolonged or repeated skin contact use suitable protective gloves. **Hand protection**

Not available. Other

Not normally needed. Respiratory protection Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Light amber liquid **Appearance**

Physical state Liquid. Liquid. **Form**

Color Light Amber, Will darken with age.

Odor Sassafras odor **Odor threshold** Not available рH 9 - 9.3

8 - 9 (diluted 1:128)

Melting point/freezing point Not available 205 °F (96.11 °C) Initial boiling point and boiling

range

Flash point > 205.0 °F (> 96.1 °C) Tag Closed Cup

< 1 Ethyl ether = 1 **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

17.6 mm Hg Vapor pressure Vapor density 0.6 Air=1

Material name: SUPER SHINE-ALL

HIL00613 Version #: 01 Issue date: 03-11-2015

Relative density 1.008 at 77°F

Solubility(ies)

Solubility (water) 100 % Complete
Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

Other information

 Density
 8.39 lb/gal

 Percent volatile
 87 - 88 %

 VOC (Weight %)
 0.62 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

| Product | Species Test Results | |
|----------------------------|----------------------|------------------------------------|
| SUPER SHINE-ALL | | |
| Acute | | |
| Inhalation | | |
| LC50 | Mouse | 72543.4688 mg/l, 4 Hours estimated |
| Oral | | |
| LD50 | Guinea pig | 21960.7852 g/kg estimated |
| | Rat | 24313.7246 g/kg estimated |
| Components | Species | Test Results |
| Camphor (CAS 76-22-2) | | |
| Acute | | |
| Oral | | |
| LD50 | Mouse | 1310 mg/kg |
| Pin-2(3)-ene (CAS 80-56-8) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | 3700 mg/kg |
| | | |

^{*} Estimates for product may be based on additional component data not shown.

HILO0613 Version #: 01 Issue date: 03-11-2015

4/7

Skin corrosion/irritation

Serious eye damage/eye irritation

Prolonged skin contact may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Causes eve irritation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Prolonged inhalation may be harmful. **Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | | Species | Test Results |
|-----------------|------|---------|------------------------------------|
| SUPER SHINE-ALL | | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 4232213 mg/l, 48 hours estimated |
| Fish | LC50 | Fish | 4597756.5 mg/l, 96 hours estimated |

^{*} Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Pin-2(3)-ene 4.83

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Buyer assumes all risk and liability associated with disposal of this product (original concentration

or dilution) in violation of applicable law. Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local

pretreatment requirements.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

Material name: SUPER SHINE-ALL SDS US

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Camphor (CAS 76-22-2) Pin-2(3)-ene (CAS 80-56-8)

US. New Jersey Worker and Community Right-to-Know Act

Camphor (CAS 76-22-2) Pin-2(3)-ene (CAS 80-56-8)

US. Pennsylvania Worker and Community Right-to-Know Law

Camphor (CAS 76-22-2) Pin-2(3)-ene (CAS 80-56-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 03-11-2015

Version # 01

Further information This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated

volume, minimized/recycled packaging, and protective limits on VOCs and human & environmental

toxicity. GreenSeal.org.

Material name: SUPER SHINE-ALL
HIL00613 Version #: 01 Issue date: 03-11-2015

HMIS® ratings

Health: 1 Flammability: 0 Physical hazard: 0

Disclaimer

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

Material name: SUPER SHINE-ALL
HIL00613 Version #: 01 Issue date: 03-11-2015