! 1. Identification of the substance/preparation

Name of product	Lithofin PSI
Manufacturer/distributor	LITHOFIN-Produkte GmbH Heinrich-Otto-Straße 42, D-73240 Wendlingen Phone +49 (0)7024-94 03 0
Advice	Labor Phone +49 (0)7024-9403 0 Fax +49 (0)7024-9403 40
Emergency advice Recommended intended purpose(s) Impregnator	Phone +49 (0)7024-94 03 0

2. Composition/information on ingredients

Chemical characterization Solvent based Impregnator

CAS-No.	ingredients EC-No.	Name	[% weight]	Classification
064742-82-1	265-185-4	Naphtha (petroleum), hydrodesulfurized heavy	> 25	Carc.Cat.2 R45; Xn R65
Additional a Benzene < 0				

3. Special hazards information for man and environment

R-phrases

10	Flammable.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
65	Harmful: may cause lung damage if swallowed.
67	Vapours may cause drowsiness and dizziness.

4. First aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air. In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off immediately with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Do not induce vomitting.

If swallowed by mistake drink plenty of water and seek medical treatment.

5. Fire-fighting measures

Suitable extinguishing material

Foam Dry powder Carbon dioxide sand

Extinguishing material that may not be used for safety reasons Full water jet

Special exposure hazards arising from the substance, combustible products or resulting gases In case of fire formation of dangerous gases possible.

6. Accidental release measures

Personal precautions

Ensure adequate ventilation. Use personal protective clothing.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder).

7. Handling and storage

Advice on safe handling

Use only in thoroughly ventilated areas. Use solvent-resistant equipment. Take the usual precautions when handling with chemicals.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking Take precautionary measures against static discharges.

Further information on storage conditions

Keep container dry, tightly closed and store at cool and aired place.

8. Exposure controls / personal protection

Ingredients with occupational exposure limits to be monitored					
CAS-No.	Name	Code	[mg/m³]	[ml/m³]	Remark
	naphtha (petroleum), arom. 1-25 %	MAK	500	100	31, TRGS 901-

Respiratory protection

Breathing apparatus in the event of high concentrations. Short term: filter apparatus, filter A

Hand protection chemical-resistant gloves

Eye protection safety goggles

General protective measures

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.

Safety data-sheet (91/155 EEC) Printed 12.02.2004 Revision 22.01.2004 (GB) Version 1.1

Lithofin PSI

Form		Colour		Odour	
liquid		colourless, clear		aromatic	
Data relevant for safe	ety				
	Value	Temperature	at	Method	Remark
pH value in delivery s	state not applicat	ble			
starts to boil	> 130 °C				
Flash point	> 23 °C				
Lower explosion limi	t ca. 0,6 Vol-	%			
Upper explosion limi	t ca. 8 Vol-%				
Density	ca. 0,8 g/cn	า3			
Solubility in water					more or less insoluble
Viscosity 1 Outflow t	ime < 30 s			ISO 2431/3 mm	
No hazardous reaction Toxicological informat Acute toxicity/Irritabi	ion				
-	Value/Validation	Species	Method	Remark	
LD 50 acute oral	not determined				
LD 50 acute oral LD 50 acute dermal	not determined				
LD 50 acute dermal LC 50 acute	not determined				
LD 50 acute dermal LC 50 acute inhalation	not determined	egradability) Method of analysis	Method	Validation	
LD 50 acute dermal LC 50 acute inhalation Ecological information	not determined not determined	egradability) Method of analysis	Method	Validation	

13. Disposal considerations

Waste code No.

Name of waste

07 01 04*

other organic solvents, washing liquids and mother liquors

Recommendations for the product

In accordance with regulations for special waste, must be taken to a special waste disposal.

Recommendations for packaging

Totally emptied packaging may be taken for recycling.

14. Transport information

Land and inland navigation transport (AD Identification UN-No.	DR/RID/GGVS/GGVE/ADNR) Flammable liquid, n.o.s. (White spirit) special provision 640 1993
	3
Class	-
PG	
Hazard No.	30
Marine transport IMDG/GGV See	
Proper shipping name	Flammable liquid, n.o.s., (White spirit)
UN-No.	1993
Class	3
PG	III
Marine pollutant	No
EmS-No.	3-07
Air transport ICAO/IATA	
Proper shipping name	Flammable liquid, n.o.s. (White Spirit)
UN/ID-No.	1993
Class	3
	-
PG	III

15. Regulatory information

Remarks for classification

The product is classified and labelled in accordance with EC directives.

Classification

Xn Harmful

N Dangerous for the environment

R-phrases

it pinases	
10	Flammable.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
65	Harmful: may cause lung damage if swallowed.
67	Vapours may cause drowsiness and dizziness.
S-phrases	
2	Keep out of the reach of children.
23.3	Do not breathe vapour.
24	Avoid contact with skin.
62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Hazardous ingredients for labeling

Naphtha (petroleum), hydrodesulfurized heavy

National regulationsClassification according to VbF/
remarksAllWater hazard class2VwVwS (17. 05. 1999)

16. Other information

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the poperties of the product.

Wording of the R-phrases specified in chapter 2 (not the classification of the formulation!)

R 45 May cause cancer. R 65 Harmful: may cause lung damage if swallowed.