

SAFETY DATA SHEET
LIME PEEK METAL POLISH

Page 1
Issued: 17.04.2008
Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: LIME PEEK METAL POLISH
Company name: Lime Supply Ltd
Sarus Court
Manor Park
Runcorn
Cheshire
WA7 1UL
Tel: 0845 5575 675
Fax: 01928 238384
Email: contact@limesupply.com

2. HAZARDS IDENTIFICATION

Main hazards: Flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY 1-5%
EINECS: 265-185-4 CAS: 64742-82-1
[T] R46; [Xn] R65; [-] R10; [N] R51/53

- KEROSENE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 1-5%
EINECS: 265-149-8 CAS: 64742-47-8
[Xn] R65; [N] R51/53

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.
Eye contact: There may be irritation and redness.
Ingestion: There may be irritation of the throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water.
Inhalation: Consult a doctor.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

SAFETY DATA SHEET

LIME PEEK METAL POLISH

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Avoid the formation or spread of dust in the air.

Storage conditions: Store in cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Blue

Odour: Characteristic odour

Solubility in water: Miscible

Viscosity: Viscous

Flash point°C: 21-55

Relative density: 1

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

SAFETY DATA SHEET

LIME PEEK METAL POLISH

13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no:	3295	ADR Class:	3
Packing group:	III	Classification code:	F1
Shipping name:	HYDROCARBONS, LIQUID, N.O.S.		
Labelling:	3	Hazard ID no:	30

**IMDG / IMO**

UN no:	3295	Class:	3
Packing group:	III	EmS:	3-07
Marine pollutant:	.		
Labelling:	3		

IATA / ICAO

UN no:	3295	Class:	3
Packing group:	III		
Packing instructions:	309(P&CA); 310(PAO)		
Labelling:	3		

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Risk phrases: R10: Flammable.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases: S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

S16: Keep away from sources of ignition - No smoking.

SAFETY DATA SHEET

LIME PEEK METAL POLISH

HYDRODESULPHURIZED HEAVY; KEROSENE - UNSPECIFIED - DISTILLATES
(PETROLEUM), HYDROTREATED LIGHT

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.3: R46: May cause heritable genetic damage.

R65: Harmful: may cause lung damage if swallowed.

R10: Flammable.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.