Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Stain Free
Product code : 239

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Stain Remover

1.3. Details of the supplier of the safety data sheet

MSM, Inc.

1101 E. Francisco Blvd. San Rafael, CA 94901 - USA T 415-258-0550 - F 415-258-0564

1.4. Emergency telephone number

Emergency number : 415-258-0550

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms





GHS07

GHS05

Signal word : Danger

Hazard statements : Causes skin irritation.

Causes serious eye damage. May cause respiratory irritation.

Precautionary statements : Avoid breathing mist, vapors.

Wash hands and forearms thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear eye protection, protective gloves. If on skin: Wash with plenty of water.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.
Call a POISON CENTER/doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

2.3. Hazard not otherwise classified (HNOC)

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

Product Code:239 EN (English US) Page 1 of 6

Safety Data Sheet

SECTION 3: Composition/information on ingredients

Not applicable

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

3.2. **Mixture**

Name	Product identifier	%	Classification (GHS-US)
sodium hypochlorite	(CAS No) 7681-52-9	1 - 5	Skin Corr. 1B, H314 Aquatic Acute 1, H400

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for First-aid measures after inhalation

breathing. If you feel unwell, seek medical advice.

If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated First-aid measures after skin contact

clothing before reuse. If skin irritation persists, get medical attention.

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

First-aid measures after ingestion

doctor/physician.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. If you

feel unwell, seek medical advice. : May cause respiratory irritation.

Symptoms/injuries after inhalation Symptoms/injuries after skin contact Causes skin irritation.

Symptoms/injuries after eye contact Causes serious eye damage.

Symptoms/injuries after ingestion FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa.

Nausea. Gastrointestinal complaints.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Extinguishing media for surrounding fires. Adapt extinguishing media to the environment.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

Special hazards arising from the substance or mixture

Reactivity : On burning: release of toxic and corrosive gases/vapors (chlorine, hydrogen chloride). Decomposes slowly on exposure to air: oxidation which increases fire hazard and release of toxic and corrosive gases/vapors (chlorine). This reaction is accelerated on exposure to light, on exposure to temperature rise and on exposure to (some) metals. Reacts violently with

(some) acids/bases: release of toxic and corrosive gases/vapors (chlorine).

Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Isolate from fire, if possible, without unnecessary risk. General measures

6.1.1. For non-emergency personnel

Protective equipment : Protective gloves.

> Protective goggles. Protective clothing.

Product Code:239 EN (English US) Page 2 of 6

Safety Data Sheet

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Dam up the liquid spill. If reacting: dilute toxic gas/vapor with water spray.

Methods for cleaning up : Liquid spill: neutralize. Take up liquid spill into a non combustible material e.g.: sand, earth,

vermiculite. Scoop absorbed substance into closing containers. Spill must not return in its original container. Damaged/cooled tanks must be emptied. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to

manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation

of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal

protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Incompatible products : Strong acids. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Clear pale yellow

Odor : Lemon

Odor threshold : No data available

pH : 12 - 13

Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Product Code:239 EN (English US) Page 3 of 6

Safety Data Sheet

Flash point : Will not flash.

Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not flammable
Explosive limits : No data available
Vapor pressure : No data available
Vapor density : No data available

Specific Gravity @ 77° F : 1.075 - 1.095
Solubility : Water: Complete
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 1 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

On burning: release of toxic and corrosive gases/vapors (chlorine, hydrogen chloride). Decomposes slowly on exposure to air: oxidation which increases fire hazard and release of toxic and corrosive gases/vapors (chlorine). This reaction is accelerated on exposure to light, on exposure to temperature rise and on exposure to (some) metals. Reacts violently with (some) acids/bases: release of toxic and corrosive gases/vapors (chlorine).

10.2. Chemical stability

Unstable on exposure to light.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizers. Acids. May be corrosive to metals.

10.6. Hazardous decomposition products

Chlorine. Hydrogen chloride vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

pH: 12 - 13

Serious eye damage/irritation : Causes serious eye damage.

pH: 12 - 13 : Not classified

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

sodium hypochlorite (7681-52-9)

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Product Code:239 EN (English US) Page **4** of **6**

Safety Data Sheet

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa.

Nausea. Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

sodium hypochlorite (7681-52-9)	
LC50 fish 1	0.026 mg/l (96 h; Oncorhynchus kisutch; Chlorine)
EC50 Daphnia 1	2.1 mg/l (96 h; Daphnia magna)
EC50 other aquatic organisms 1	0.2 mg/l (24 h; Skeletonema costatum; Biomass)
LC50 fish 2	0.19 mg/l (96 h; Pimephales promelas)
Threshold limit algae 1	0.84 mg/l (24 h; Chlorophyta; Biomass)

12.2. Persistence and degradability

sodium hypochlorite (7681-52-9)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

sodium hypochlorite (7681-52-9)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : No supplementary information available

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

sodium hypochlorite (7681-52-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Product Code:239 EN (English US) Page 5 of 6

Safety Data Sheet

sodium hypochlorite (7681-52-9)	
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists):	100 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

15.2. International regulations

CANADA

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Abbreviations Legend:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

Disclaimer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Revision date: 11/06/2014 Supersedes: 01/27/2012 Version: 1.0

Product Code:239 EN (English US) Page 6 of 6