

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity

XSORB® II Super Absorbent

Alternate Names

Description: Absorbent for liquids other than hydrofluoric acid and highly alkaline liquids

Chemical Name: Amorphous siliceous mineral silicate

Formula: A sodium potassium alumina silicate of various compositions. Other inert ingredients are proprietary.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

See Technical Data Sheet.

Application Method

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name

Impact Absorbents, Inc
5255 Traffic Way
Atascadero, CA 93422. USA

Emergency

CHEMTREC (USA)

(800) 424-9300

Customer Service: Impact Absorbents, Inc

805-466-4709

2. Hazard identification of the product

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Amorphous siliceous mineral silicate and cross-linked sodium polyacrylate CAS Number: Proprietary	75 - 100	Not Classified	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview

Summary: Inhaling over long periods of high amounts of any nuisance dust may overload lung clearance mechanism and make lungs more vulnerable to respiratory disease. Medical conditions aggravated by exposure: Pre-existing upper respiratory and lung disease such as, but not limited to bronchitis, emphysema and asthma.
Target Organs: Lungs
Acute Health Effects: None known.
Primary Entry Route: Inhalation
Inhalation: Congestion and irritation of throat, nasal passages and upper respiratory systems. Persons sensitive to inert dust may experience coughing when exposed to heavy concentration of airborne material.

Skin Contact or Absorption: N/A

Ingestion: Not hazardous. Generally regarded as safe by FDA.

Eyes: Temporary irritation and inflammation. If dust particles lodge in eyes, use standard eye wash solutions or water and allow eyes to clear.

5. Fire-fighting measures

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Reacts with hydrofluoric acid to form toxic silicon tetra fluoride gas.

5.3. Advice for fire-fighters

Not applicable if unused. If used to collect flammable liquids, then consult SDS of flammable liquid.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Steps to be taken in case material is released or spilled: Sweep with broom and dispose as for any inert, non-carcinogenic solid waste.

Waste Disposal Method: If not contaminated, landfill approved as defined by RCRA (40CFR part 261). If used to collect liquid material, dispose in compliance with SDS of collected liquid.

WHMIS CLASS: Not Applicable

Below WHMIS Classification of 0.1 mg/m.

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

7. Handling and storage

7.1. Precautions for safe handling

See section 8

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Hydrofluoric Acid

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
Proprietary	Amorphous siliceous mineral silicate and cross-linked sodium polyacrylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Carcinogen Data

CAS No.	Ingredient	Source	Value
Proprietary	Amorphous siliceous mineral silicate and cross-linked sodium polyacrylate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

Even though classified as a nuisance dust and treated with an anti-dust wetting agent, we recommend use of NIOSH approved dust respirator when excessive dust concentrations are airborne.

Eyes

Safety glasses/goggles usually not necessary.

Skin

Not necessary under normal conditions.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Maintain good housekeeping practice. Remove material after absorption has taken place.

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

Reseal bag after use to prevent evaporation of wetting agent. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. Physical and chemical properties

Appearance	White aggregate or powder Solid
Odor	Odorless
Odor threshold	Not Measured
pH	Not Measured
Melting point / freezing point	2400F
Initial boiling point and boiling range	Not Measured
Flash Point	Non-flammable
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	(H2O=1): natural = 2.28
Solubility in Water	% Slightly
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
Expanded	.08-.20
Biodegradable	No

9.2. Other information

No other relevant information.

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Hydrofluoric Acid

10.6. Hazardous decomposition products

Reacts with hydrofluoric acid to form toxic silicon tetra fluoride gas.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Amorphous siliceous mineral silicate and cross-linked sodium polyacrylate - (Proprietary)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Eco toxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Amorphous siliceous mineral silicate and cross-linked sodium polyacrylate - (Proprietary)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bio accumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping	Not Regulated	Not Regulated	Not Regulated

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

name

14.3. Transport hazard class(es) **DOT Hazard Class:** Not Applicable **IMDG:** Not Applicable **Air Class:** Not Applicable
DOT Label: --- **Sub Class:** Not Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user
No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards **Fire:** No
Sudden Release of Pressure: No
Reactive: No
Immediate (Acute): No
Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Crystalline Silica - Quartz

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

N.J. RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Penn RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Safety Data Sheet

XSORB® II Super Absorbent

SDS Revision Date:

12/29/2014

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial and local laws.

End of Document