



Univar
3075 Highland Pkwy STE 200
Downers Grove, IL 60515
425-889-3400

SAFETY DATA SHEET

1. Identification

Product identifier: - ISOPROPYL ALCOHOL SOLUTION

Other means of identification

Synonyms: IPA, 2-Propanol, Propanol, Isopropanol

SDS number: 000100000034

Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Emergency telephone number: For emergency assistance Involving chemicals

call CHEMTREC day or night at: 1-800-424-9300. CHEMTREC INTERNATIONAL Tel# 703-527-3887

2. Hazard(s) identification

Hazard classification

Physical hazards

Flammable liquids Category 2

Health hazards

Serious eye damage/eye irritation Category 2B

Label elements

Hazard symbol



Version: 1.8

Revision date: 07/15/2015



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. May be harmful if swallowed and enters airways.
Precautionary statement	
Prevention	Use personal protective equipment as required. Keep container tightly closed. Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Obtain special instructions before use.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If exposed or concerned: Get medical advice/attention. In case of fire: Use ... to extinguish.
Storage	Store in a closed container. Keep container tightly closed. Store in well-ventilated place. Store in a dry place. Store locked up.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Version: 1.8

Revision date: 07/15/2015

**Other hazards which do not result in GHS classification**

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

3. Composition/information on ingredients**Substances**

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
Isopropyl Alcohol		67-63-0	>=10 - <=99%
Water		7732-18-5	>=1 - <=90%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Perform artificial respiration if breathing has stopped. Get medical attention immediately.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Eye contact: If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General fire hazards: No data available.

Version: 1.8

Revision date: 07/15/2015

**Suitable (and unsuitable) extinguishing media**

Suitable extinguishing media: Use: Carbon dioxide or dry powder. Water in large amounts. Alcohol resistant foam.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Use water spray to keep fire-exposed containers cool.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep unauthorized personnel away.

Methods and material for containment and cleaning up: All equipment used when handling the product must be grounded. Eliminate sources of ignition. Absorb spillage with non-combustible, absorbent material. Dike for later disposal.

7. Handling and storage

Precautions for safe handling: Flammable/combustible - Keep away from oxidizers, heat and flames. Avoid contact with skin and eyes. Avoid breathing mists or vapors. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities: No data available.

Version: 1.8

Revision date: 07/15/2015



8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	Type	Exposure Limit values	Source
Isopropyl Alcohol	TWA	200 ppm	US. ACGIH Threshold Limit Values (03 2013)
	STEL	400 ppm	US. ACGIH Threshold Limit Values (03 2013)
	REL	400 ppm 980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	500 ppm 1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	400 ppm 980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	500 ppm 1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	400 ppm 980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm 1,225 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	400 ppm 980 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	4,920 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL	492 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL	2,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL	200 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	TWA PEL	400 ppm 980 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne

Version: 1.8

Revision date: 07/15/2015



			Contaminants (02 2012)
	STEL	500 ppm 1,225 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)

Biological limit values

Chemical identity	Exposure Limit values	Source
Isopropyl Alcohol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)

Appropriate engineering controls

No data available.

Individual protection measures, such as personal protective equipment**General information:**

Use personal protective equipment as required. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Practice good housekeeping.

Eye/face protection:

No data available.

Skin protection**Hand protection:**

No data available.

Other:

No data available.

Respiratory protection:

No data available.

Hygiene measures:

No data available.

9. Physical and chemical properties**Physical state:**

Liquid

Form:

No data available.

Color:

Clear water-white

Odor:

Odor of alcohol

Odor threshold:

No data available.

pH:

No data available.

Melting point/freezing point:

No data available.

Initial boiling point and boiling range:

80 - 100 °C

Flash Point:

13 °C

Evaporation rate:

No data available.

Version: 1.8

Revision date: 07/15/2015



Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure: No data available.

Vapor density: No data available.

Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity: No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous reactions: No data available.

Conditions to avoid: Flammable/combustible - Keep away from oxidizers, heat and flames.

Incompatible materials: Strong oxidizing agents. Aldehydes. Amines. Caustics. Alkanolamines.

Hazardous decomposition products: No data available.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin contact: No data available.

Eye contact: No data available.

Version: 1.8

Revision date: 07/15/2015

**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)****Oral****Product:** ATEmix (): 3,636.363636 mg/kg**Dermal****Product:**

Not classified for acute toxicity based on available data.

Inhalation**Product:** No data available.**Repeated dose toxicity****Product:** No data available.**Skin corrosion/irritation****Product:** No data available.**Serious eye damage/eye irritation****Product:** No data available.**Respiratory or skin sensitization****Product:** No data available.**Carcinogenicity****Product:** No data available.**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**No carcinogenic components identified **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity**In vitro****Product:** No data available.**In vivo****Product:** No data available.**Reproductive toxicity****Product:** No data available.**Specific target organ toxicity - single exposure****Product:** No data available.**Specific target organ toxicity - repeated exposure****Product:** No data available.**Aspiration hazard****Product:** No data available.**Other effects:**

No data available.

Version: 1.8

Revision date: 07/15/2015

**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Specified substance(s):**

Isopropyl Alcohol LC 50 (Fathead minnow (*Pimephales promelas*), 1 h): 11,830 mg/l Mortality
LC 50 (Fathead minnow (*Pimephales promelas*), 24 h): 10,600 mg/l
Mortality LC 50 (Fathead minnow (*Pimephales promelas*), 24 h): 11,160
mg/l Mortality LC 50 (Harlequinfish, red rasbora (*Rasbora heteromorpha*),
24 h): 7,100 mg/l Mortality LC 50 (Bluegill (*Lepomis macrochirus*), 24 h): >
1,400 mg/l Mortality

Aquatic invertebrates**Product:** No data available.**Specified substance(s):**

Isopropyl Alcohol LC 50 (Water flea (*Daphnia magna*), 24 h): > 10,000 mg/l Mortality LC 50
(Common shrimp, sand shrimp (*Crangon crangon*), 48 h): 900 - 1,950 mg/l
Mortality LC 50 (Common shrimp, sand shrimp (*Crangon crangon*), 96 h):
750 - 1,650 mg/l Mortality LC 50 (Brine shrimp (*Artemia salina*), 24 h): >
10,000 mg/l Mortality

Chronic hazards to the aquatic environment:**Fish****Product:** No data available.**Aquatic invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and degradability****Biodegradation****Product:** No data available.**BOD/COD ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration factor (BCF)****Product:** No data available.**Partition coefficient n-octanol / water (log Kow)****Product:** No data available.**Specified substance(s):**

Version: 1.8

Revision date: 07/15/2015



Isopropyl Alcohol

Log Kow: 0.05

Mobility in soil:

No data available.

Known or predicted distribution to environmental compartments

Propan-2-ol

No data available.

Water

No data available.

Known or predicted distribution to environmental compartments

Propan-2-ol

No data available.

Known or predicted distribution to environmental compartments

Water

No data available.

13. Disposal considerations**Disposal instructions:**

No data available.

Contaminated packaging:

No data available.

14. Transport information**DOT**

UN number:

UN 1219

UN proper shipping name:

Isopropanol Solution

Transport hazard class(es)

Class:

3

Label(s):

3

Packing group:

II

Marine Pollutant:

Not regulated.

Special precautions for user:

—

IMDG

UN number:

UN 1219

UN proper shipping name:

ISOPROPANOL

Transport hazard class(es)

Class:

3

Label(s):

3

EmS No.:

F-E, S-D

Packing group:

II

Marine Pollutant:

Not regulated.

Version: 1.8

Revision date: 07/15/2015



Special precautions for user: -

IATA

UN number: UN 1219
Proper Shipping Name: Isopropanol Solution
Transport hazard class(es):
Class: 3
Label(s): 3
Packing group: II
Environmental hazards: Not regulated.
Special precautions for user: -
Other information
Passenger and cargo aircraft: Allowed.
Cargo aircraft only: Allowed.

15. Regulatory information**US federal regulations US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Isopropyl Alcohol Reportable quantity: 100 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)**Hazard categories**☐ Acute (Immediate) ☐ Chronic (Delayed) ☐ Fire ☐ Reactive ☐ Pressure Generating**SARA 302 Extremely hazardous substance**

None present or none present in regulated quantities.

SARA 304 Emergency release notification

Chemical identity	RQ
Isopropyl Alcohol	100 lbs.

SARA 311/312 Hazardous chemical

Chemical identity	Threshold Planning Quantity
Isopropyl Alcohol	500 lbs
Water	500 lbs

SARA 313 (TRI reporting)

Chemical identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
Isopropyl Alcohol	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Version: 1.8

Revision date: 07/15/2015

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

US state regulations**US. California Proposition 65**

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Isopropyl Alcohol Listed

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Version: 1.8

Revision date: 07/15/2015

**Inventory Status:** Australia AICS:

Not in compliance with the inventory.

Canada DSL Inventory List:

Not in compliance with the inventory.

EU EINECS List:

On or in compliance with the inventory.

EU ELINCS List:

Not in compliance with the inventory.

Japan (ENCS) List:

Not in compliance with the inventory.

EU No Longer Polymers List:

Not in compliance with the inventory.

China Inv. Existing Chemical Substances:

Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI):

Not in compliance with the inventory.

Canada NDSL Inventory:

Not in compliance with the inventory.

Philippines PICCS:

Not in compliance with the inventory.

US TSCA Inventory:

On or in compliance with the inventory.

New Zealand Inventory of Chemicals:

Not in compliance with the inventory.

Japan ISHL Listing:

Not in compliance with the inventory.

Japan Pharmacopoeia Listing:


Not in compliance with the inventory.

16. Other information, including date of preparation or last revision**HMIS Hazard ID**

Health	*	1
Flammability		3
Physical hazards		0
PERSONAL PROTECTION		K

K - Hood, Gloves, Protective Suit & Boots

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

NFPA Hazard ID

Flammability
Health
Reactivity
Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date:

07/15/2015

Revision date:

No data available.

Version #:

1.8

Further information:

No data available.