

# Safety Data Sheet

# Classified in accordance 29 CFR 1910.1200

# 1. Product Identification

Product Information: 1000057193

Product Identifier: KLEENLINE PRO LAVENDER AIR FRESHENER

Recommended Use: Air Freshener

Manufacturer/Importer/Distributor Information: BradyPLUS

7055 Lindell Rd Las Vegas, NV 89118

(877) 788-7587

Emergency Telephone: 1-800-424-9300

# 2. Hazard(s) identification

#### Classification

Flammable Aerosol, category 1 Skin Sensitizer, category 1 Eye Irritation, category 2A STOT, single exposure, category 3, NE

#### Label elements

#### HAZARD PICTOGRAMS



SIGNAL WORD
Danger

### **GHS HAZARD STATEMENTS**

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated H317 May cause an allergic skin reaction.

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

### **GHS PRECAUTIONARY STATEMENTS**

### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust, fumes, gas, mist, vapours, or spray.

P264 Wash thoroughly after handling.

8709 Page 1 / 9

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, and face protection

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER

or doctor/physician if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Other Information

None

# 3. Composition/Information on Ingredients

#### **Mixtures**

Chemical Identity	CAS Number	Content in Percent (%)*
Acetone	67-64-1	80-100
Propane	74-98-6	5-10
Propellant, 1,1-Difluoroethane	75-37-6	1-5
alpha-hexylcinnamaldehyde	101-86-0	0.1-1.0
Terpenes and Terpenoids, sweet orange-oil	68647-72-3	0.1-1.0
4-tert-butylcyclohexyl Acetate	32210-23-4	0.1-1.0
Hexyl Salicylate	6259-76-3	0.1-1.0

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition Comments:** Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

### 4. First-aid Measures

**SKIN CONTACT:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash contact area thoroughly with soap and water. Get medical attention if irritation or rash develops or persists. Remove contaminated clothing. Launder clothing before re-use.

**EYE CONTACT:** Rinse immediately with plenty of water. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

**INHALATION:** Move to fresh air. Remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical attention if you feel unwell.

**INGESTION:** Rinse mouth.

IMPORTANT SYMPTOMS: Inhalation may cause drowsiness or dizziness. May cause severe eye irritation. May cause allergic skin

8709 Page 2 / 9

reaction (sensitization.)

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur.

# 5. Fire-fighting Measures

**EXTINGUISHING MEDIA:** Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 50°C / 122°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES: No data available

### 6. Accidental Release Measures

**PERSONAL PRECAUTIONS:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

# 7. Handling and Storage

**HANDLING:** Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**SAFE HANDLING ADVICE:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**STORAGE:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Level 2

# 8. Exposure Controls/Personal Protection

### Ingredients with Occupational Exposure Limits

Chemical Name	TLV-TWA	TLV-STEL	PEL-TWA	PEL-CEILING
Acetone	250 ppm	500 ppm	1000 ppm	N.E.
Propane	N.E.	N.E.	1000 ppm	N.E.
Propellant, 1,1-Difluoroethane	N.E.	N.E.	N.E.	N.E.
alpha-hexylcinnamaldehyde	N.E.	N.E.	N.E.	N.E.
Terpenes and Terpenoids, sweet orange-oil	N.E.	N.E.	N.E.	N.E.
4-tert-butylcyclohexyl Acetate	N.E.	N.E.	N.E.	N.E.
Hexyl Salicylate	N.E.	N.E.	N.E.	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

**ENGINEERING CONTROLS:** No data available

### **Personal Protection**

EYE/FACE PROTECTION: Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

**SKIN PROTECTION:** Wear impervious gloves to prevent skin contact.

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

8709 Page 3 / 9

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

# 9. Physical and Chemical Properties

Appearance:

Physical State: Liquid

Form: Spray Aerosol
Color: Colorless
Odor: Lavender

Odor Threshold:

pH:

No data available

No data available

No data available

No data available

Boiling Point, °C: 7

Flash Point, °C: Not applicable to aerosols

Flammability (solid, gas): Flammable Aerosol
Evaporation Rate: No data available
Combustibility: Supports Combustion

 Explosive Limits, %:
 2.2 - 16.9

 Vapor Pressure @20°C, PSI:
 33-53

Relative Vapor Density: Heavier than Air

Relative Density: 0.776

Solubility in Water:

Partition Coefficient, n-octanol/water:

Auto-Ignition Temperature, °C:

Decomposition temperature, °C:

No data available

No data available

No data available

No data available

14 mm2/s or cSt

Particle Characteristics:

Size Range, microns (µm): No data available
Percent under 10 microns: No data available

# 10. Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use. **STABILITY:** Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

**CONDITIONS TO AVOID:** Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon dioxide and carbon monoxide.

### 11. Toxicological Information

#### Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause an allergic skin reaction (sensitization) with itching, redness and hives.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS: May cause central nervous system effects with drowsiness and dizziness.

8709 Page 4 / 9

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

The following Chemicals are listed on IARC Monographs on the Evaluation of Carcinogenic Risk to Humans:

No known IARC Chemicals

The following Chemicals are listed on the U.S. National Toxicology Program (NTP) Report on Carcinogens:

No known NTP Chemicals

The following Chemicals are listed on U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No known OSHA Chemicals

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

 ATE ORAL
 38,462 mg/kg

 ATE DERMAL
 38,462 mg/kg

ATE INHALATION Not classified for acute toxicity based on available data.

### **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
67-64-1	Acetone	5,800 mg/kg	7,426 mg/kg	50.1 mg/l
74-98-6	Propane	5,000 mg/kg	5,000 mg/kg	100 mg/l
75-37-6	Propellant, 1,1-Difluoroethane	5,000 mg/kg	5,000 mg/kg	100 mg/l
101-86-0	alpha-hexylcinnamaldehyde	5,000 mg/kg	5,000 mg/kg	100 mg/l
68647-72-3	Terpenes and Terpenoids, sweet orange-oil	5,000 mg/kg	5,000 mg/kg	100 mg/l
32210-23-4	4-tert-butylcyclohexyl Acetate	5000 mg/kg Rat	>5000 mg/kg Rabbit	100 mg/l
6259-76-3	Hexyl Salicylate	5000 mg/kg Rat	>5000 mg/kg Rabbit	100 mg/l

N.I. = No Information

**Skin Corrosion & Irritation:** 

Product: No data available

Serious Eye Damage & Irritation:

Product: No data available

Components:

Acetone 67-64-1 Causes serious eye irritation.

Respiratory or Skin Sensitization:

Product: No data available

Components:

alpha-hexylcinnamaldehyde 101-86-0 May cause an allergic skin reaction.

Terpenes and Terpenoids, sweet orange-oil 68647-72-3 May cause an allergic skin reaction.

4-tert-butylcyclohexyl Acetate 32210-23-4 May cause an allergic skin reaction.

Hexyl Salicylate 6259-76-3 May cause an allergic skin reaction.

8709 Page 5 / 9

STOT-Single Exposure:

Product: No data available

Components:

Acetone 67-64-1 May cause drowsiness or dizziness.

STOT-Repeated Exposure:

Product: No data available

**Aspiration Hazard:** 

**Product:** No data available

Carcinogenicity:

Product: No data available

Reproductive Toxicity:

**Product:** No data available

Germ Cell Mutagenicity:

Product: No data available

# 12. Ecological Information

**ECOLOGICAL INFORMATION:** No data available

PERSISTENCE: No data available
BIOACCUMULATE: No data available
MOBILITY IN SOIL: No data available
OTHER ECOLOGICAL: No data available

### 13. Disposal Information

**DISPOSAL INFORMATION:** Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING: Consult with your local, regional and federal agencies for information on proper disposal.

# 14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk N/A
Packing Group: N/A

**IATA** 

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

8709 Page 6 / 9

#### **IMDG**

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

# 15. Regulatory Information

### **SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

#### **CHEMICAL INVENTORY STATUS:**

TSCA On or in compliance with the inventory

DSL All ingredients in this product are listed on the DSL or are exempt.

### CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:

No Proposition 65 chemicals present or warning required.

# 16. Other Information

Revision Date: 11/19/2024

Datasheet produced by: Regulatory Department

#### Legend

- N/A. Not Applicable, N.E. Not Established, N.D. Not Determined, N.I. No Information
- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List

8709 Page 7 / 9

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

### **Further Information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.

8709 Page 8 / 9

8709 Page 9 / 9