

Safety Data Sheet

Classified in accordance 29 CFR 1910.1200

1. Product Identification

Product Information: 1000057153

Product Identifier: KLEENLINE PRO SURFACE DUSTER & POLISH

Recommended Use: Coating

Manufacturer/Importer/Distributor Information: BradyPLUS

7055 Lindell Rd Las Vegas, NV 89118

(877) 788-7587

Emergency Telephone: 1-800-424-9300

Restrictions on Use:

None

2. Hazard(s) identification

Classification

Aerosol, category 1 Aspiration Hazard, category 1 Skin Sensitizer, category 1

Label elements

HAZARD PICTOGRAMS



SIGNAL WORD
Danger

GHS HAZARD STATEMENTS

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated
H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

GHS PRECAUTIONARY STATEMENTS

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust, fumes, gas, mist, vapours, or spray.

5980 Page 1 / 9

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves

Response

P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Other Information

None

3. Composition/Information on Ingredients

Mixtures

| Chemical Identity | CAS Number | Content in Percent (%)* |
|--|-------------|-------------------------|
| White Mineral Oil | 8042-47-5 | 10-30 |
| Butane | 106-97-8 | 5-10 |
| Propane | 74-98-6 | 1-5 |
| d-Limonene | 5989-27-5 | 1-5 |
| Nonylphenol, 4-, Branched, Ethoxylated | 127087-87-0 | 0.1-1.0 |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

4. First-aid Measures

SKIN CONTACT: Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash contact area thoroughly with soap and water. Get medical attention if irritation or rash develops or persists. Remove contaminated clothing. Launder clothing before re-use.

EYE CONTACT: Rinse immediately with plenty of water.

INHALATION: Move to fresh air.

INGESTION: Keep the victim calm and warm. Do NOT induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Get immediate medical attention.

IMPORTANT SYMPTOMS: Aspiration hazard: Harmful or fatal if swallowed. May cause allergic skin reaction (sensitization.)

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur. Immediate medical attention is required for ingestion.

5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Extremely flammable aerosol. Contents under pressure. Keep away from ignition

5980 Page 2 / 9

sources and open flames. Prolonged exposure to temperatures above 50°C / 122°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES: No data available

Accidental Release Measures

PERSONAL PRECAUTIONS: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING: Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

SAFE HANDLING ADVICE: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

STORAGE: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Level 1

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

| Chemical Name | TLV-TWA | TLV-STEL | PEL-TWA | PEL-CEILING |
|--|---------|----------|----------|-------------|
| White Mineral Oil | 5 mg/m3 | N.E. | 5 mg/m3 | N.E. |
| Butane | N.E. | 1000 ppm | N.E. | N.E. |
| Propane | N.E. | N.E. | 1000 ppm | N.E. |
| d-Limonene | N.E. | N.E. | N.E. | N.E. |
| Nonylphenol, 4-, Branched, Ethoxylated | N.E. | N.E. | N.E. | N.E. |

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

ENGINEERING CONTROLS: No data available

Personal Protection

EYE/FACE PROTECTION: Wear goggles/face shield.

SKIN PROTECTION: Wear impervious gloves to prevent skin contact.

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

5980 Page 3 / 9

9. Physical and Chemical Properties

Appearance:

Physical State: Liquid

Form: Spray Aerosol

Color: White Odor: Citrus

Odor Threshold: No data available

pH: 10-11

Freeze Point, °C: No data available

Boiling Point, °C: 28

Flash Point, °C: Not applicable to aerosols

Flammability (solid, gas):

Evaporation Rate:

Combustibility:

Flammable Aerosol

No data available

Supports Combustion

Explosive Limits, %: 0.7 - 25.0 **Vapor Pressure @20°C, PSI:** 55 - 75

Relative Vapor Density: Heavier than Air

Relative Density: 0.922

Solubility in Water:

Partition Coefficient, n-octanol/water:

Auto-Ignition Temperature, °C:

Decomposition temperature, °C:

No data available

No data available

No data available

Voice No data available

14 mm2/s or cSt

Particle Characteristics:

Size Range, microns (µm): No data available

Percent under 10 microns: No data available

10. Stability and Reactivity

REACTIVITY: Not reactive under normal conditions of use. **STABILITY:** Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

CONDITIONS TO AVOID: Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon dioxide and carbon monoxide.

11. Toxicological Information

Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause an allergic skin reaction (sensitization) with itching, redness and hives.

EYE CONTACT EFFECTS: May cause slight irritation with tearing.

INHALATION EFFECTS: Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory tract

INGESTION EFFECTS: Aspiration into the lungs during ingestion or vomiting may cause serious lung damage which may be fatal.

5980 Page 4 / 9

The following Chemicals are listed on IARC Monographs on the Evaluation of Carcinogenic Risk to Humans:

| CAS-No. | <u>Chemical Name</u> | IARC Listing |
|-----------|----------------------|-----------------------------|
| 7632-00-0 | Sodium nitrite | IARC Group 2A, |
| 7631-99-4 | Sodium Nitrate | IARC Group 2A, |
| 123-91-1 | 1,4-Dioxane | IARC Group 2B, |
| 75-21-8 | Ethylene Oxide | IARC Group 1,IARC Group 2A, |

The following Chemicals are listed on the U.S. National Toxicology Program (NTP) Report on Carcinogens:

| The fellowing enemicate are noted on the electricated restricting the fellowing enemicated are noted on the electricated are noted are n | | |
|--|----------------|---|
| CAS-No. | Chemical Name | NTP Listing |
| 123-91-1 | 1,4-Dioxane | NTP Reasonably Anticipated to be Human Carcinogen |
| 75-21-8 | Ethylene Oxide | NTP Known Human Carcinogen |

The following Chemicals are listed on U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

| CAS-No. | Chemical Name | OSHA Listing |
|-----------|----------------|--------------|
| 7632-00-0 | Sodium nitrite | Present |
| 7631-99-4 | Sodium Nitrate | Present |
| 123-91-1 | 1,4-Dioxane | Present |
| 75-21-8 | Ethylene Oxide | Present |

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

 ATE ORAL
 15,394 mg/kg

 ATE DERMAL
 15,394 mg/kg

ATE INHALATION Not classified for acute toxicity based on available data.

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

| CAS-No. | Chemical Name | Oral LD50 | Dermal LD50 | Vapor LC50 |
|-------------|--|-------------|-------------|--------------|
| 8042-47-5 | White Mineral Oil | 5,000 mg/kg | 5000 mg/kg | 100 mg/l |
| 106-97-8 | Butane | 5000 mg/kg | 5000 mg/kg | 658 mg/L Rat |
| 74-98-6 | Propane | 5,000 mg/kg | 5,000 mg/kg | 100 mg/l |
| 5989-27-5 | d-Limonene | 5000 mg/kg | 5000 mg/kg | 100 mg/l |
| 127087-87-0 | Nonylphenol, 4-, Branched, Ethoxylated | 500 mg/kg | 5,000 mg/kg | 100 mg/l |

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Serious Eye Damage & Irritation:

Product: No data available

Respiratory or Skin Sensitization:

Product: No data available

Components:

d-Limonene 5989-27-5 May cause an allergic skin reaction.

5980 Page 5 / 9

STOT-Single Exposure:

Product: No data available

STOT-Repeated Exposure:

Product: No data available

Aspiration Hazard:

Product: No data available

Components:

White Mineral Oil 8042-47-5 May be fatal if swallowed and enters airways.

Carcinogenicity:

Product: No data available

Reproductive Toxicity:

Product: No data available

Germ Cell Mutagenicity:

Product: No data available

12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available
BIOACCUMULATE: No data available
MOBILITY IN SOIL: No data available
OTHER ECOLOGICAL: No data available

13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING: Consult with your local, regional and federal agencies for information on proper disposal.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk N/A
Packing Group: N/A

IATA

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

5980 Page 6 / 9

IMDG

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

15. Regulatory Information

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

CHEMICAL INVENTORY STATUS:

TSCA On or in compliance with the inventory

DSL All ingredients in this product are listed on the DSL or are exempt.

CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:

No Proposition 65 chemicals present or warning required.

16. Other Information

Revision Date: 4/3/2025

Datasheet produced by: Regulatory Department

Legend

- N/A. Not Applicable, N.E. Not Established, N.D. Not Determined, N.I. No Information
- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List

5980 Page 7 / 9

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

Further Information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.

5980 Page 8 / 9

5980 Page 9 / 9