

MASTERLINE GLUE TRAP

MANUFACTURER'S ADDRESS: BELL LABORATORIES, INC. 3699 Kinsman Blvd, Madison, WI 53704		PREPARED BY: CAR	TELEPHONE NO: (608) 241-0202	EMERGENCY PHONE NOS: Medical (877) 854-2494 Transportation (Spills) (800) 424-9300 CHEMTREC
PRODUCT NAME: MASTERLINE GLUE TRAP				
USE: Rodent Control Device		CHEMICAL NAME AND SYNONYM: N/A		EPA REGISTRATION NO. Not Required
SECTION I. HAZARDOUS INGREDIENTS				
ACTIVE INGREDIENTS:			% BY WEIGHT	CURRENT TLV
None			N/A	N/A
This product contains no components subject to the reporting requirements of Section 313 of the Superfund Amendment and Reauthorization Act (SARA) of 1986				
SECTION II. PHYSICAL DATA				
APPEARANCE: Solid	COLOR: Clear	ODOR: Artificial Peanut Butter		SPECIFIC GRAVITY: N/A
VAPOR DENSITY: N/A	MELTING POINT: N/A	WATER REACTIVITY: N/A		EVAPORATION RATE: N/A
VAPOR PRESSURE: N/A	BOILING POINT: N/A	SOLUBILITY: Soluble in mineral spirits		BULK DENSITY: 6.2 lbs/gal
SECTION III. FIRE AND EXPLOSION DATA				
FLASH POINT (Method Used): N/A		FLAMMABLE LIMIT: Upper Limit: N/A Lower Limit: N/A		AUTOIGNITION TEMP: N/A
EXTINGUISHING MEDIA: Extinguish with water, foam or inert gas.				
SPECIAL FIREFIGHTING PROCEDURES: None				
UNUSUAL FIRE OR EXPLOSION HAZARDS: None				
SECTION IV. REACTIVITY HAZARD DATA				
STABILITY: Stable		CONDITIONS TO AVOID: None		
POLYMERIZATION: Will not occur		CONDITIONS TO AVOID: None		
INCOMPATIBILITY (MATERIALS TO AVOID): None			HAZARDOUS DECOMPOSITION PRODUCTS: None	
SECTION V. TOXICITY DATA				
LD50, ORAL (INGESTION): N/A		LD50, DERMAL (SKIN CONTACT): N/A		LC50, INHALATION: N/A
DERMAL SENSITIZATION: N/A		SKIN IRRITATION: N/A		EYE IRRITATION: N/A

MASTERLINE GLUE TRAP MSDS

SECTION VI. HEALTH HAZARDS		
PRIMARY ROUTE OF ENTRY: N/A	SIGNS & SYMPTOMS OF EXPOSURE: None	
EMERGENCY FIRST AID PROCEDURES: Eyes: Flush with cool water for at least 15 minutes. Skin: Remove glue with mineral spirits. Wash skin with soap and water. Inhalation: Remove person to fresh air. Ingestion: Call physician or emergency phone number immediately, Do not give anything by mouth or induce vomiting unless instructed by physician.		
NOTE TO PHYSICIAN: None		
SECTION VII. CONTROL & PROTECTIVE MEASURES		
RESPIRATOR TYPE: Not required		
EYE PROTECTION: Not required	GLOVES (Recommended): Not required	VENTILATION: Not required
OTHER PROTECTIVE MEASURES: Not required		
NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS: HEALTH: 0 (Minimal) FIRE: 0 (Will not burn) REACTIVITY: 0 (Stable) SPECIFIC HAZARD: None		
HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATINGS: HEALTH: 0 (Minimal) FLAMMABILITY: 0 (Minimal) REACTIVITY: 0 (Minimal) PROTECTIVE EQUIPMENT: None		
SECTION VIII. SPILL OR LEAK PROCEDURES		
STEPS TO BE TAKEN IN THE EVENT MATERIAL IS RELEASED OR SPILLED: General clean-up. Remove glue by applying mineral spirits to spilled area, follow up by washing area with warm water and detergent.		
WASTE DISPOSAL METHOD: Wastes resulting from use may be disposed of on-site or at an approved waste disposal facility. Dispose of wastes in accordance with all applicable Federal, state and local regulations.		
SECTION IX. SPECIAL PRECAUTIONS & STORAGE DATA		
STORAGE TEMPERATURE: Room temperature	AVERAGE SHELF LIFE: Stable	
SPECIAL SENSITIVITY (HEAT, LIGHT, MOISTURE): None		
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in original container in a cool, dust-free environment. Wash thoroughly with soap and water after handling.		
SECTION X. SHIPPING DATA		
DOT SHIPPING NAME: None required	DOT HAZARD CLASSIFICATION: Non-hazardous	
DOT LABELS REQUIRED: None required	FREIGHT CLASSIFICATION: LTL Class 60	
WARRANTY: The information provided in the Material Safety Data Sheet has been obtained from source believed to be reliable. Bell Laboratories, Inc. provides no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your consideration and investigation. The user is responsible to ensure that they have all current data relevant to their particular use.		