

### I. IDENTIFICATION

SOLID SQUARE WAFER - GOLD SPICE
Solid Square Wafer Refills

Company:	AIR-SCENT INT'L RIDC INDUSTRIAL PARK 290-298 ALPHA DRIVE PITTSBURGH, PA 15238
Emergency Phone Number:	EMERGENCY PHONE: (800) 535-5053 INFORMATION PHONE: 800-247-0770 INFORMATION FAX: 412-252-1010 IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

## II. HAZARD(S) IDENTIFICATION

### Classification of the chemical in accordance with paragraph (d) of §1910.1200;



GHS Classification:		us Eye Damage/Eye Irritation Category 2A; Hazardous to lazardous to the aquatic environment - Chronic Categor	
GHS Signal Word:	Warning		
GHS Hazard	Causes skin irritation.; May cause an allergiaquatic life; Toxic to aquatic life with long	ic skin reaction.; Causes serious eye irritation.; Toxic to glasting effects.	
<b>GHS Precautions:</b>			
Safety Precautions:	Wash thoroughly after handling. Avoid releptotection/face protection.	ease to the environment. Wear protective gloves/eye	
First Aid Measures:	minutes. Remove contact lenses, if present	water. IF IN EYES: Rinse cautiously with water for severa t and easy to do. Continue rinsing. If skin irritation occu or rash occurs: Get medical advice/attention. If eye irrit	rs: Get
Disposal:	Dispose of contents/container in accordant hazardous wastes.	ce with local/regional/national/international regulation	n for
SOLID SOLIADE WAFEE	COLD SDICE	Dage 1 of 7	

#### SOLID SQUARE WAFER - GOLD SPICE

## **III. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS #	%
Benzoic acid, 2-hydroxy-, pentyl ester	2050-08-0	10 - 30
Acetic acid, phenylmethyl ester	140-11-4	5 - 10
Octanal, 2-(phenylmethylene)-	101-86-0	5 - 10
2H-1-Benzopyran-2-one	91-64-5	1 - 5
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	1 - 5
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	1 - 5
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	0.5 - 1.5
Heptanal, 2-(phenylmethylene)-	122-40-7	0.5 - 1.5
Ethanone, 1-[4-(1,1-dimethylethyl)-2,6-dimethyl-3,5-	81-14-1	0.5 - 1.5
dinitrophenyl]-		
2-Phenylethanol	60-12-8	0.5 - 1.5
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	0.1 - 1
Octanal, 7-hydroxy-3,7-dimethyl-	107-75-5	0.1 - 1
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - 1
2-Propenal, 3-phenyl-	104-55-2	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
Most important	
symptoms and effects - acute	No Data Available
Most important	
symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available
. FIRE FIGHTING MEASURES	
Flammability Summary:	Combustible at elevated temperatures
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning

### SOLID SQUARE WAFER - GOLD SPICE

Page 2 of 7

Extinguishing Media advised against: Fire and/or Explosion Hazards:	but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid. No Data Available Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of
Fire Fighting Methods and Protection:	ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion Products:	Carbon Oxides, nitrogen oxides (NOx), Carbon dioxide, Carbon monoxide
VI. ACCIDENTAL RELEASE MEASURES	
Personal Precautions and Equipment:	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS
Methods for Clean-up:	No special spill clean-up considerations. Collect and discard in regular trash.
VII. HANDLING AND STORAGE	
Handling Technical Measures and Precaut	tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing and wash before reuse Use spark- proof tools and explosion-proof equipment Use with adequate ventilation
Storage Technical Measures and Conditio	-
Materials to Avoid/Chemical Incompatibi	

### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

	might be required to maintain operator con Engineering controls must be designed to re in 29 CFR 1910. Use process enclosures, loce engineering controls to control airborne lev Explosion proof exhaust ventilation should designed to control vapor concentrations to 1910.1000. Facilities storing or using this me eyewash and safety shower.	neet the OSHA chemica cal exhaust ventilation, vels below recommend be used. Engineering c o below levels publishe	al specific standard or other ed exposure limits ontrols must be rd in 29 CFR
Respiratory Protection:	No respiratory protection required under r room exhaust ventilation if symptoms of or A respirator is not normally required. Follo meets 29 CFR 1910.134 and ANSI Z88.2 rec conditions warrant the use of a respirator. exposure is possible. A supplied air type res	verexposure occur as ex ow a respiratory protect juirements whenever w Wear a NIOSH approve spiratory will be require	xplained Section III. tion program that vork place ed respirator if any ed.
Eye Protection:	Wear chemically resistant safety glasses wi Wear additional eye protection such as che when the possibility exists for eye contact airborne material. Do not wear contact len Wear goggles and a Face shield	emical splash goggles ar with splashing or sprayi	nd/or face shield ng liquid, or
Skin Protection:	Not normally considered a skin hazard. Wh good personal hygiene and wear a barrier gloves. Wash hands and other exposed are drinking, and when leaving work. Where c gloves, a chemical suit, rubber boots, and c	cream and/or imperviou as with mild soap and v ontact is likely, wear ch	us surgical style water before eating, emical resistant
Gloves: Handling Instructions:	No information available As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing and wash before reuse Use spark-proof tools and explosion-proof equipment Use with adequate ventilation		
Control Parameters: Chemical Name No Data Available	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL

## IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Initial Boiling Point:	345 - 349 º F
Flash Point:	> 200 º F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	8.0

SOLID SQUARE WAFER - GOLD SPICE

Lower Flammable/Explosive Limit:	1.0
Vapor Density:	>1
Relative Density:	1
Solubility in Water:	Soluble in water- No
Octanol/Water Partition Coefficient:	4.686 = 3.41 at 20 degree C 4 2.5 at 25 °C (77 °F) 4.7 4.3
Decomposition Temperature:	335
Volatiles, % by weight:	8.64
Volatiles, % by weight:	8.64
Bulk Density:	13.052

## X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination Elevated temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Caustics (bases) Acids Bases Reducing agents Strong bases Strong acids Acid chlorides Acid anhydrides
Hazardous Decomposition Products:	Carbon Oxides nitrogen oxides (NOx) Carbon dioxide Carbon monoxide

### XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalat	Inhalation, Ingestion, Skin contact, Eye contact	
Most Important No Dat	No Data Available	
Symptoms:		
Chemical Interactions That Cha	ge Toxicity: None Known	
Medical Conditions Aggravate	by Exposure: No medical conditions affected by exposure.	

### Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause respiratory irritation.
Skin Contact:	Can cause minor skin irritation.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Ingestion Irritation:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.
Ingestion Toxicity:	Harmful if swallowed.

## Long-Term (Chronic) Health Effects:

Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA. No data available to indicate product or any components present at greater than	
	studies. Not a carcinogen according to NTP, IARC, or OSHA.	
Reproductive toxicity:	No data available to indicate product or any components present at greater than	

## SOLID SQUARE WAFER - GOLD SPICE

Germ cell mutagenicity:	0.1% may cause birth defects. Possible reproductive hazard. No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data:		
Chemical Name	CAS Number	LD50/LC50
No data available		

## Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No Data Available				

## XII. ECOLOGICAL INFORMATION

Overview: Mobility in Soil: Persistence: Bioaccumulation:	No Data No Data	erial is not e Available Available Available Available	xpected to be harmfu	Il to the ecology.		
Other adverse effects	No Data	Available				
Ecotoxicity Data						
Chemical Name	CAS N	lumber	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish	
No Data Available				0		
Waste Description for Spe Waste Description for Emp Packaging:		Spent or o No Data		not expected to be a ha	azardous waste.	
Disposal Methods:		BODY OF Federal, S may vary compliand generator practices material.	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all rederal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and ompliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this naterial. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and			

uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

#### **XIV. TRANSPORTATION INFORMATION**

US DOT Ground Shipping Description:	Not Restricted
IATA Shipping Description:	Not Restricted
IMDG Shipping Description:	Not Restricted

#### **XV. REGULATORY INFORMATION**

TSCA Status All components in this p	All components in this product are on the TSCA Inventory.				
Chemical Name	CAS #	Regulation	% Range		
N590 Polycyclic aromatic compounds (PACs)	91-64-5	SARA 313	1 - 5		

#### **XVI. OTHER INFORMATION**

**Revision Date:** 04-13-2015

**Disclaimer:** Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.