



Spartan Chemical Company, Inc. **Material Safety Data Sheet**

▼SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division: Janitorial

ORANGE TOUGH 40 Product Number: 2240

Spartan Chemical Company, Inc.

Product/Technical 1-(800)-537-8990 Information:

1110 Spartan Drive Maumee OH 43537

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency:

| Shipping Desc | ription: Cleaning compounds, | liquid, n.o.s. | |
|---------------|------------------------------|---------------------|------------------|
| NFPA Ratings: | | HMIS Ratings: | |
| Health: | 2 - Moderate | Health: | 2 - Moderate |
| Fire: | 2 - Moderate | Fire: | 2 - Moderate |
| Reactivity: | 0 - Minimal | Reactivity: | 0 - Minimal |
| | | Pers. Prot. Equip.: | See Section VIII |

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

| | li | | Table Z- 1 - A | | NTD IADO | |
|---|-------|---------------------|-----------------------|------------------------|-----------------------------|------------------------------------|
| Chemical Name(s) | ₩ w | CAS Registry No. | TWA mg/m ³ | STEL mg/m ³ | CELING mg/m ³ | NTP, IARC or OSHA Carcinogen |
| d-limonene | 35-40 | 5989-27-5 | 1 | | Not Established | <u> </u> |
| Nonyl phenol ethoxylate | 10-15 | 127087-87-0 | Not Established | Not Established | Not Established | No |
| Triethanolamine dodecylbenzenesulfonate | 05-10 | 27323-41-7 | Not Established | Not Established | Not Established | No |
| Triethanolamine | 05-10 | 102-71-6 | 5 (ACGIH) | Not Established | Not Established | No |
| Hexylene glycol | 01-05 | 107-41-5 | Not Established | Not Established | 121 (NIOSH) | No |
| Dicarboxylic fatty acid, dipotassium salt | 01-05 | 66375-37-9 | Not Established | Not Established | Not Established | No |
| Tetrasodium ethylene diaminetetraacetate | 01-05 | 64-02-8 | Not Established | Not Established | Not Established | No |

SECTION III: PHYSICAL DATA

| Boiling Point: | >212 °F | Vapor Pressure: | Unknown | |
|--------------------------------|---|--------------------------|--------------|--|
| Vapor Density (AIR = 1): | Unknown | Solubility in Water: | Emulsifiable | |
| pH: | 9.0 | Specific Gravity | 0.96 | |
| | | (H ₂ O=1): | | |
| Evaporation Rate (but.ace.=1): | | Percent Solid by Weight: | 20-25 | |
| Physical State: | Liquid | | | |
| Appearance & Odor | Appearance & Odor: Clear, orange liquid. Orange citrus fragrance. | | | |

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

| Flash Point: 124°F | Method Used: ASTM-D56 | | |
|--|--|--|--|
| Flammable Limits: Unknown | Flame Extension: N/A | | |
| Extinguishing Media: Foam, dry chemical, carbor | guishing Media: Foam, dry chemical, carbon dioxide, water fog or spray | | |
| Special Fire Fighting Wear NIOSH approved self fire-exposed containers with | Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray. | | |
| Unusual Fire & Explosive Combustible liquid and vapor. Keep away from heat, sparks or flame. Combustion Hazards: products are toxic. | | | |

SECTION V: HEALTH HAZARD DATA

| Threshold Limit Value: | Not Established | Primary Routes of Entry: Inhalation, Skin Contact, Eyes and Oral |
|-------------------------------|---|--|
| Conditions to Avoid: | Conjunctiva. Causes skin irritation: Syntarmful if swallowed: Syntairrhea. Breathing product vapors Symptoms may include nash hexylene glycol and triethan repeated contact. Repeated odamage. Avoid contact with eyes, s | inptoms may include pain, redness and swelling of the imptoms may include redness, pain and swelling. Inptoms may include pain, nausea, vomiting and or mist may cause respiratory irritation: all discomfort and coughing. Contains d-limonene, include which may cause skin sensitization with overexposure to triethanolamine may cause liver and kidney skin and clothing. Avoid breathing product vapors Use with adequate ventilation. Wash thoroughly |
| Conditions Aggravated by Use: | Use of this product may aggravincluding asthma and dermatiti | rate preexisting skin; eye and respiratory disorders s. |

Emergency & First Aid Procedures:

| Eyes: | Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention. |
|-------------|---|
| Skin: | Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. |
| Ingestion: | Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person. |
| Inhalation: | Move person to fresh air. Get medical attention if irritation persists. |

▼SECTION VI: REACTIVITY DATA

| Stability: Stable | Incompatible Materials: Strong oxidants |
|---------------------------------|---|
| Hazardous Decomposition CO, CO, | Hazardous Will Not Occur |
| Products: 2 | Polymerization: |

▼SECTION VII: SPILL OR LEAK PROCEDURES

| | Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Keep spill out of storm sewers and waterways. |
|------------------------|---|
| Waste Disposal Method: | Dispose of in compliance with all federal, state and local laws and regulations. |

▼SECTION VIII: SPECIAL PROTECTION INFORMATION

| | Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered. |
|----------------------------------|--|
| II I | Provide good general ventilation. Local exhaust ventilation may be necessary for some operations. |
| Protective Gloves(Specify Type): | Rubber or other impervious gloves. |
| Eye Protection(Specify Type): | Splash goggles are recommended to prevent eye contact. |
| Other Protective Equipment: | See 29 CFR 1910.132-138 for further guidance. |

SECTION IX: SPECIAL PRECAUTIONS

| Precautions; Handling & Storing: | Combustible liquid and vapors. Flash Point 124°F. Keep away from heat, sparks, or open flame. Keep container tightly closed. Store in a cool, dry area. Do not store above 120°F. |
|----------------------------------|---|
| Other Precautions: | Keep out of reach of children. |

© SCC 09/22/2008 **ORANGE TOUGH 40**

Name:

Ronald T. Cook

Title:

Manager, Regulatory Affairs

Effective

09/22/2008

Supercedes:

06/30/2005

Ref: 29 CFR 1910.1200 (OSHA) Changes:

Review

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.