

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

▼ SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

SUNSWEPT

Janitorial

Product Number: 4064

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990

1110 Spartan Drive

Medical Emergency:1-(888)-314-6171 (24 hours)

Maumee OH 43537

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Buffing, polishing compounds, liquid, n.o.s.				
NFPA Ratings:		HMIS Ratings:		
Health:	1- Slight	Health;	*1 - Slight; Chronic Hazard	
Fire:	0 - Minimal		0 - Minimal	
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal	
		Pers, Prot. Equip.:	See Section VIII	

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection A.

The state of the s	or chem	of chemical substances maintained by the U.S. Environmental Protection Agency.				
			Table Z- 1 - A			NTD IADG
		CAS Registry	,		CELING	NTP, IARC or OSHA
Chemical Name(s)	% W	No.	TWA mg/m ³	STEL mg/m ³	mg/m ³	Carcinogen
Styrene/acrylic copolymer	15-20	25987-66-0	Not Established	Not Established	Not Established	No
Ester alcohol	1-5	25265-77-4	Not Established	Not Established	Not Established	No
Tributoxyethyl phosphate	1-5	78-51-3	Not Established	Not Established	Not Established	No
Ethylene copolymer	1-5	67892-91-5	Not Established	Not Established	Not Established	No
Propylene glycol	1-5	57-55-6	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	7.8-8.2	Specific Gravity (H ₂ O=1):	i
Evaporation Rate (but.ace.=1):	1	Percent Solid by Weight:	20-30
Physical State:	Liquid		
Appearance & Odor: Light milky green liquid, pine fragrance			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Dried Product can burn. Combustion products are toxic.		

▼SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact
Conditions to Avoid:	May cause skin irritation wit Harmful if swallowed with sy Contains tributoxyethyl phospl ataxia, breathing abnormalities	th symptoms such as pain, redness, swelling and tearing. It symptoms such as redness, pain and swelling. If ymptoms such as nausea, vomiting, pain and diarrhea. It is that which may cause nervous system effects such as and tremors with prolonged or repeated contact. If you have a skin. Do not taste or swallow. Wash thoroughly after
Conditions Aggravated by Use:	Use of this product may aggravasthma and dermatitis.	vate preexisting eye; skin and respiratory disorders such as

Emergency & First Aid Procedures:

	Immediately flush eyes with plenty of water for at least 15 minutes; remove contact lenses. Get medical attention.
	Remove contaminated clothing. Flush skin thoroughly with plenty of water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

▼SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	None known
	Carbon monoxide, carbon	Hazardous	Will Not Occur
Products:	dioxide	Polymerization:	

SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended to prevent contact.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance,

▼SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep from freezing.
Other Precautions:	Keep out of reach of children

© SCC 09/22/2008 SUNSWEPT

Name: Effective Ronald T. Cook 09/22/2008 Title:

Manager, Regulatory Affairs

Supercedes: 06/30/2005

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes:

Review

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.