

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 20-Jan-2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	XTREME CLEARCOAT PROTECTANT 2665 Shine protectant For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation:	Category 2 Category 2A
<u>GHS Label Elements</u> Signal Word: Symbols:	Warning
Hazard Statements:	Causes skin irritation.
Precautionary Statements:	Causes serious eye irritation
Prevention:	Wash hands and any exposed skin thoroughly after handling. Wear eye / face protection Wear protective gloves
Response: -Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
-Skin	present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage: Disposal:	Not Applicable Not Applicable
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	May be harmful if swallowed.Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
2-butoxyethanol	111-76-2	5-10
quaternary amide	PROPRIETARY	3-7
polyoxyethylene tallow amine	PROPRIETARY	3-7
petroleum distillate	64742-46-7	3-7
quaternium 80	134737-05-6	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES -Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. -Skin Contact: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a -Inhalation: poison control center or physician if you feel unwell. -Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell. Note to Physicians: Treat symptomatically. 5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire Specific Hazards Arising from the Dried product is capable of burning. Combustion products are toxic. Chemical: **Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. **Protective Equipment and** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray. **Precautions for Firefighters:**

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
	and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH

2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	· · · · · <u>-</u> · · · · g , · · ·
		(vacated) S*	
		S*	
		3	
Engineering Controls:	Provide good general ventilation		
	If work practices generate dus	t, fumes, gas, vapors or mists v	vhich expose workers to
	chemicals above the occupation	onal exposure limits, local exha	ust ventilation or other
	engineering controls should be		
Developed Destanting Environment	engineering controls should be	considered.	
Personal Protective Equipment			
Eye/Face Protection:	Wear splash goggles.		
Skin and Body Protection:	Wear rubber or other chemical	l-resistant gloves.	
Respiratory Protection:	Not required with expected use	9	
Respiratory Protection.			itation conversions of c
		are exceeded or respiratory irr	
	NIOSH/MSHA approved respire	rator suitable for the use-condit	ions and chemicals in Section
	3 should be considered.		
General Hygiene Considerations:	Wash hands and any exposed	skin thoroughly after handling.	
Constantinggione Constantations.			
	See 29 CFR 1910.132-138 for	iurmer guidance.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid	
Color:	Teal	
Odor:	solvent	
pH:	7.0-9.0	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	100 °C / 212 °F	
Flash Point:	> 100 °C / > 212 °F ASTM D56	
Evaporation Rate:	< 1.0 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	0.977	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability:	This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.
	: Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Pain, redness and cracking of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects Product Information:

on: Data not available or insufficient for classification.

Target Organ Effects:

Blood. Central nervous system. -Eyes. hematopoietic system. kidney. Liver. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	2653 mg/kg
ATEmix (dermal):	10233 mg/kg
ATEmix (inhalation-dust/mist):	18.8 mg/l
ATEmix (inhalation-vapor):	138 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat)= 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h
petroleum distillate 64742-46-7	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat)4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
2-butoxyethanol 111-76-2	Not Available	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	Not Available	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
petroleum distillate 64742-46-7	Not Available	35: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available
Persistence and Degradabi Bioaccumulation:	lity: No information			
Other Adverse Effects:	No information available.			
	13. DIS	POSAL CONSIDERAT	TIONS	
Disposal of Wastes: Contaminated Packaging:		accordance with federal, standard accordance with federal, standard accordance with federal, standard		
	14. TF	ANSPORT INFORMA	TION	
<u>DOT:</u> Proper Shipping Name: Special Provisions:	Shipping des and/or origin		a trained hazardous r	
IMDG: Proper Shipping Name:	Not Regulate Non Hazardo	ated rdous Product		
		GULATORY INFORMA		

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product contains the following listed substances:

2-butoxyethanol

CAS No 111-76-2 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION					
NFPA HMIS	Health Hazards: 2 Health Hazards: 2*	Flammability: 0 Flammability: 0	Instability: 0 Physical Hazards: 0	Special: N/A	
Revision Date: Reasons for Revision:	20-Jan-2017 New product				

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet