SAFETY DATA SHEET



1. Identification

Product identifier enMotion® High Frequency Use Foam Hand Sanitizer

Product list enMotion® High Frequency Use Foam Hand Sanitizer, Fragrance Free, Dye Free SKU 42333

enMotion® High Frequency Use Foam Hand Sanitizer, Fragrance Free, Dye Free, 45 mL SKU

GP6173

enMotion® High Frequency Foam Hand Sanitizer with Moisturizers SKU 42336

Other means of identification None

Recommended use Hand Sanitizer

Recommended restrictions This product is regulated as an Over-the-Counter (OTC) drug in the US and is intended for

personal care use.

Manufacturer/Importer/Supplier/Distributor information

Company name Manufactured for:

Address Georgia-Pacific Consumer Products LP

133 Peachtree Street, NE

Atlanta, GA 30303

Telephone Technical Information: 866.435.5647

SDS Request: 404.652.5119

E-mail MSDSREQ@GAPAC.com

Emergency phone number Chemtrec - Emergency: 800.424.9300

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 2Health hazardsEye irritationCategory 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapor. Causes serious eye irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Wear protective gloves/eye protection, if handling large quantities.

Response In the event of large spill and subsequent exposure to the product:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:

Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYL ALCOHOL		64-17-5	55-70
ISOPROPYL ALCOHOL		67-63-0	1 - 5
Composition comments	Percent by volume concentration of ETHYL ALCOHOL (64-17-5) is 70% (v/v).		
	Meets Alcohol Requirements stated in FDA Tentative Final Monograph for OTC Healthcare Antiseptic Drug Products – 21 CFR Part 333.410 (a).		
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	If irritation occurs, flush skin with plenty of water. Call a physician if irritation persists.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persist		
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.		
General information	Wash contaminated clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dio sand or earth may be used for small fires only		wder, carbon dioxid

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Do not use water jet as an extinguisher, as this will spread the fire.

Flammable liquid - may release vapors that form flammable mixtures at or above the flash point. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contained.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

Environmental precautions

7. Handling and storage Precautions for safe handling

For external use only. Keep out of the reach of children. Do not get this material in contact with eyes. Wear gloves and safety glasses or goggles if handling large quantities. Do not handle or store near an open flame, heat or other sources of ignition. When using do not smoke.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

200 ppm

8. Exposure controls/personal protection

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Occupational exposure limits

Components	Туре	Value
ETHYL ALCOHOL (CAS 64-17-5)	PEL	1900 mg/m3
,		1000 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)	PEL	980 mg/m3
,		400 ppm
US. ACGIH Threshold Limit Values		
Components	Туре	Value
ETHYL ALCOHOL (CAS 64-17-5)	STEL	1000 ppm
ISOPROPYL ALCOHOL	STEL	400 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
ETHYL ALCOHOL (CAS 64-17-5)	TWA	1900 mg/m3
,		1000 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	1225 mg/m3
,		500 ppm
	TWA	980 mg/m3
		400 ppm

TWA

Biological limit values

(CAS 67-63-0)

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
ISOPROPYL ALCOHOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering

General ventilation normally adequate.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection None necessary under normal conditions of use. Wear safety glasses or goggles if handling large

quantities.

Skin protection

Hand protection None necessary under normal conditions of use. Wear appropriate gloves if handling large

quantities.

Other None necessary under normal conditions of use. Wear appropriate gloves if handling large

quantities.

Respiratory protection Under normal conditions of use respiratory protection is not expected to be required.

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Foam when dispensed.

Color Clear colorless

Odor Alcohol

Odor threshold Not available.

pH 6 - 9

Melting point/freezing point -173.38 °F (-114.1 °C) estimated Initial boiling point and boiling 173.3 °F (78.5 °C) estimated

range

Flash point 68.0 °F (20.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 685 °F (362.78 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Flammability class Flammable IC estimated

Specific gravity 0.9

VOC 67.45 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Acids. Metals. Chlorine.

Hazardous decomposition Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be

products released.

11. Toxicological information

Information on likely routes of exposure

Inhalation No effects expected under normal conditions of use.

Skin contactNo effects expected under normal conditions of use. Prolonged skin contact may cause temporary

irritation.

Eye contact Causes serious eye irritation.

Ingestion No effects expected under normal conditions of use. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision.

Acute toxicity

Product	Species	Test Results
enMotion® High Frequency	Use Foam Hand Sanitizer	
<u>Acute</u>		
Dermal		
LD50	Rabbit	517 ml/kg estimated
		195 g/kg estimated
Oral		
LD50	Guinea pig	36022 g/kg estimated
	Mouse	12998 mg/kg estimated
	Rat	457 ml/kg estimated
		184 g/kg estimated
Components	Species	Test Results
ETHYL ALCOHOL (CAS 64	1-17-5)	
<u>Acute</u>		
Inhalation		
LC50	Rat	117 - 125 mg/l, 4 Hours
Oral		
LD50	Mouse	8300 mg/kg
ISOPROPYL ALCOHOL (C	AS 67-63-0)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	16.4 ml/kg
Inhalation		
Vapor	D-4	1000 mm 0 have
LC50	Rat	> 1000 ppm, 6 hours
Oral	D-4	5 0.4 ml/m
LD50	Rat	5.84 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not hazardous under normal conditions of use.

Ethanol: Chronic ingestion of ethanol in alcoholic beverages is classified by IARC as Group 1

Carcinogenic to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause

reproductive/developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Material name: enMotion® High Frequency Use Foam Hand Sanitizer

5129 Version #: 01 Issue date: October-14-2016

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Chronic effects

Not an aspiration hazard.

Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver

toxicity.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
enMotion® High Freq	uency Use Foam H	and Sanitizer	
Aquatic			
Fish	LC50	Fish	19709.2188 mg/l, 96 hours estimated
Components		Species	Test Results

ETHYL ALCOHOL (CAS 64-17-5)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 13400 - 15100 mg/l, 96 hours

ISOPROPYL ALCOHOL (CAS 67-63-0)

Aquatic

Fish LC50 Pimephales promelas 10000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYL ALCOHOL -0.31 ISOPROPYL ALCOHOL 0.05

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, if discarded as supplied, is considered a hazardous waste under RCRA, D001.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Dispose in accordance with all applicable regulations.

Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1993

UN proper shipping name Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quanitiy

Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Packing group ||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB2, T7, TP1, TP8, TP28

Packaging exceptions 150
Packaging non bulk 202
Packaging bulk 242

5129 Version #: 01 Issue date: October-14-2016

^{*} Estimates for product may be based on additional component data not shown.

IATA

UN number UN1993

UN proper shipping name Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL, EHTYL ALCOHOL), Limited Quantity

Transport hazard class(es)

Class 3 Subsidiary risk П Packing group **Environmental hazards** No. **ERG Code** 3H

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Allowed with restrictions.

Passenger and cargo

aircraft

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN1993

FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), LIMITED **UN proper shipping name**

QUANTITY

Not established.

Transport hazard class(es)

Class 3 Subsidiary risk **Packing group** Ш **Environmental hazards**

No. Marine pollutant F-E. S-E **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



May be classified/shipped as Limited Quantity (LTD QTY) if Packaging exceptions requirements **General information**

are met.

15. Regulatory information

SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This **US federal regulations**

product is regulated under the US Federal Food, Drug, and Cosmetic Act.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

ISOPROPYL ALCOHOL (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date October-14-2016

Version # 01

HMIS® ratings Health: 2

Flammability: 3 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 3 Instability: 0

Disclaimer

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.

Revision information

Hazard(s) identification: Emergency overview

Composition/information on ingredients: Composition comments

Accidental release measures: Methods and materials for containment and cleaning up

Handling and storage: Precautions for safe handling Physical and chemical properties: Appearance Physical and chemical properties: Color Physical and chemical properties: Form

Physical and chemical properties: Flammability (solid, gas)

Stability and reactivity: Conditions to avoid Ecological information: Persistence / degradability Disposal considerations: Contaminated packaging Transport information: General information

Other information, including date of preparation or last revision: Further information