Safety Data Sheet 1787BR



1 Material and Supplier Indentification

Product Name:	Stainless Steel Polish		
Description:	Cleaner/Polish/Protectant		
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is not intended to be used withou prior dilution if specified on product label.		
Supplier's Information:	Brady Industries 7055 Lindell Rd Las Vegas, NV 89118 800-293-4698 (Customer Service)		
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)		
2 Hazards Identification			
Classification of Mixture:	Eye Irritation: Category 2B Pictogr Flammable Liquids: Category 4 Aspiration Hazard: Category 1	am	
Signal Word:	DANGER	•	
Hazard Statements:	Causes eye irritation. Combustible liquid. May be fatal if swallowed and enters airways		
Precautionary Statements			
General:	KEEP OUT OF REACH OF CHILDREN. Read label before use.		
Prevention:	Wash hands thoroughly after handling. Wear protective gloves.		
Response:	IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse water. If skin irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Remove conta present and easy to do. Continue rinsing. If eye irritation persists: Get medi IF INHALED: Remove person to fresh air and keep comfortable for breathin persists, call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical at immediately.	act lenses, if ical attention. ng. If problem	
3 Composition/Information	on Ingredients		
, composition/intermation	on ingredients		

Hazardous Ingredients

Petroleum Distillates Alcohols, Ethoxylated CAS Number 64742-47-8 34398-01-1 Concentration Range % 50-90 1-5

4 First Aid Measures	\$
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures		
Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.	
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.	
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.	
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.	

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including an Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.
	See Section 10 for incompatible materials.
	See Section 10 for incompatible materials.

8 Exposure Controls/Personal ProtectionControl Parameters:Hazardous IngredientsACGIH TLV
200 mg/m3OSHA PEL
2000 mg/m3NIOSH IDLH
5 mg/m3Petroleum DistillatesN/AN/AN/A

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.	
Personal Protection		
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.	
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.	
Skin Protection:	Use apron if splashing or spray-back is likely.	
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.	
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.	

9 Physical and Chemical Properties

Physical State: Color: Odor: pH:	Liquid Yellow Lemon N/A	Specific Gravity: Evapporation Rate: Solubility in Water: VOC (g/L):	0.80 < 1 Complete <70	Vapour Pressure (mm Hg): Vapour Density: Freezing Point (°F): Boiling Point (°F): Flash Point (°F):	< 17 mm Hg > 1 < 32 > 212 > 200
		< means less than	> m	eans greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

	5/14/2015	1782	Stainless Steel Polish	Page 3 of 5
--	-----------	------	------------------------	-------------

11 Toxological Information

Symptoms:				
Eye Contact:	• •	-	the following: irritation,	-
Skin Contact:	Adverse symptoms may include the following: irritation, redness			
Inhalation:	Adverse symptoms may include the following: respiratory tract irritation, coughing Adverse symptoms may include the following: stomach pains			
Ingestion:	Adverse symptor	ns may include	ine following: stomach	pains
Acute Toxicity: Eye Contact:	May cause eye ir	ritation		
Skin Contact:	May cause eye i May cause skin i			
Inhalation:	Causes severe re		on.	
Ingestion:	Causes burns to			
Toxicity Data:				
Hazardous Ingredients	<u>Re</u>	<u>esult</u>	Species	Dose
Petroleum Distillates		o data available		
Alcohols, Ethoxylated	LC	0 50- Ingestion	Rat	> 1400 mg/kg
Chronic Effects:	No known signif	ficant effects or	critical hazards	
12 Ecological Information				
Ecotoxicity:	No data availab	ole.		
Aquatic Toxicity:			_	
Hazardous Ingredients		esult	Species	
Petroleum Distillates		C 50 C 50	Rainbow trout	2.9 mg/l 96 hr 1.4 mg/l 48 hr
Alcohols, Ethoxylated		C 50 C50	Daphnia Magna Fathead minnow	1.4 mg/l 48 m 1-10 mg/l 96 hr
Other Adverse Effects:	No known signif			
13 Disposal Consideration	IS			
Disposal Methods:		can be flushed t	o sanitary sewer Disc	ard empty container in trash
Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container in the Dispose of waste in accordance with federal, state, and local regulations.			l local regulations.	
14 Transportation Informa	tion			
Certain shipping modes or packag The classification provided may no	ge sizes may have experience	ceptions from the	ne transport regulations). I modes or package sizes
Ground Transport		Stions and may i	iot apply to all shipping	modes of package sizes.
DOT Classification:	Regulated			
UN Number:	1993			
Transport Hazard Class:	3			
Packaging Group:	UI			
Hazardous Division:		uid no o		
	Combustible liqu			
Hazardous Contents: 15 Regulatory Information	Petroleum Distil	lates		
<u> </u>				
SARA Title III:	No			
California Proposition 65:	No			
Other Regulations:				
16 Other Information				
HMIS/NFPA Hazard Rating:	Health: 1	Flammabil	ity: 0 Reac	tivity: 0
5/14/2015 1782			Stainless Steel Poli	sh Page 4 of 5

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use therof. For further information consult Brady Industries.

MSDS Revision Date: 5/14/2015