

# SAFETY DATA SHEET

Issuing Date: 20-Apr-2015 Revision Date: 20-Apr-2015 Version 2

## 1. IDENTIFICATION

Product Name Tide Professional™ Coldwater Laundry Detergent

Product Code(s) 5-05

Product ID: 97202566\_PROF\_NG

**Product Type:** Finished Product - Professional Use Only

Recommended Use Laundry Care

Restrictions on Use Use only as directed on label.

Manufacturer Procter & Gamble Professional

2 P&G Plaza

Cincinnati, Ohio 45202

Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5

1-800-332-7787

E-mail Address pgsds.im@pg.com

**Emergency Telephone** Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

## 2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

**Hazard Category** 

Acute toxicity - Oral Eye Damage / Irritation Flammable Liquids Category 4 Category 2A

Signal Word WARNING

Hazard Statements Causes serious eye irritation

Harmful if swallowed

**Hazard pictograms** 



97202566\_PROF\_NG - Tide Professional™ Coldwater Laundry Detergent

Precautionary Statements - Wash hands thoroughly after handling

Prevention Do not eat, drink or smoke when using this product

**Precautionary Statements -**

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Revision Date: 20-Apr-2015

present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF SWALLOWED:

Rinse with plenty of water Drink 1 or 2 glasses of water

Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements -**

Storage

None

None

**Precautionary Statements -**

**Disposal** 

Dispose of contents/container in accordance with local regulation

Hazards not otherwise classified

(HNOC)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Ethanol, 2-amino-, 2-hydroxy-1,2,3-propanetricarboxylate (1:?)	-	No	17863-38-6	5 - 10
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	-	No	68585-34-2	5 - 10
MEA-Dodecylbenzenesulfonate	-	No	68910-32-7	1 - 5
Ceteareth-7	-	No	68439-49-6	1 - 5
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	-	No	68081-81-2	1 - 5
Propylene glycol	-	No	57-55-6	1 - 5
2,2'-Oxybisethanol	-	No	111-46-6	1 - 5
Aziridine, homopolymer, ethoxylated	-	No	68130-99-4	1 - 5
Dodecanoic acid, sodium salt (1:1)	-	No	629-25-4	1 - 5
Aziridine, polymer with 2-methyloxirane and oxirane	-	No	52501-07-2	1 - 5
Ethanol	-	No	64-17-5	1 - 5
Disodium tetraborate pentahydrate	<u>-</u>	No	12179-04-3	0.1 - 1.0
Glycine, N,N-bis[2-[bis(carboxymethyl)amino]et hyl]-, sodium salt (1:5)	_	No	140-01-2	0.1 - 1.0

### 4. FIRST AID MEASURES

### First aid measures for different exposure routes

Eye contact Rinse with plenty of water. Get medical attention immediately if irritation persists.

**Skin contact** Rinse with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention

97202566\_PROF\_NG - Tide Professional™ Coldwater Laundry

Detergent

immediately if symptoms occur.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Most important symptoms/effects,

acute and delayed

None under normal use conditions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media** Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision Date: 20-Apr-2015

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Advice for emergency responders** Use personal protective equipment as required.

Methods and materials for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

### 7. HANDLING AND STORAGE

Precautions for safe handling

Never return spills in original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters** 

### **Exposure Guidelines**

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Ethanol	64-17-5	STEL: 1000 ppm	TWA: 1000 ppm	Mexico: TWA 1000 ppm
			TWA: 1900 mg/m <sup>3</sup>	Mexico: TWA 1900 mg/m <sup>3</sup>
			(vacated) TWA: 1000 ppm	
			(vacated) TWA: 1900	
			mg/m³	
Disodium tetraborate pentahydrate	12179-04-3	STEL: 6 mg/m <sup>3</sup> inhalable	(vacated) TWA: 10 mg/m <sup>3</sup>	Mexico: TWA 1 mg/m <sup>3</sup>
		fraction		
		TWA: 2 mg/m³ inhalable		
		fraction		

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Propylene glycol	57-55-6			TWA: 10 mg/m <sup>3</sup> TWA: 50 ppm TWA: 155 mg/m <sup>3</sup>	
Ethanol	64-17-5	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	STEL: 1000 ppm	STEL: 1000 ppm
Disodium tetraborate pentahydrate	12179-04-3	TWA: 1 mg/m <sup>3</sup> STEL: 3 ppm	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m³ STEL: 6 mg/m³	TWA: 2 mg/m³ STEL: 6 mg/m³

No relevant exposure guidelines for other ingredients

### **Exposure controls**

Engineering Measures Distribution, Workplace and Household Settings:

Ensure adequate ventilation

Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Where reasonably practicable this should be achieved by the use of local exhaust

Revision Date: 20-Apr-2015

ventilation and good general extraction

**Personal Protective Equipment** 

Eye Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Use appropriate eye protection

Hand Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Respiratory Protection Distribution, Workplace and Household Settings:

No special protective equipment required

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):** 

In case of insufficient ventilation wear suitable respiratory equipment

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C liquid blue Odor Scented

Odor threshold No information available

Property Values Note

**pH value** 8.1 - 8.5

Melting/freezing point

No information available

Boiling point/boiling range 98.9 - 102 °C / 210 - 216 °F

Flash point 65.6 °C / 150 °F Product is an aqueous solution containing <=

24% alcohol and> 50% water

Revision Date: 20-Apr-2015

**Evaporation rate**Flammability (solid, gas)
No information available
No information available

Flammability Limits in Air

Upper flammability limitNo information availableLower Flammability LimitNo information availableVapor pressureNo information availableVapor densityNo information available

Relative density 1.08 Water solubility 100%

Solubility in other solvents

Partition coefficient: n-octanol/waterNo information available

Autoignition temperature

No information available

Decomposition temperature

No information available

Viscosity of Product No information available

Oxidizing properties Not applicable.

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

### 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.

**Stability** Stable under normal conditions.

**Hazardous polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid None under normal processing.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

### 11. TOXICOLOGICAL INFORMATION

**Product Information** 

Information on likely routes of exposure

InhalationNo known effect.Skin contactNo known effect.

IngestionMay be harmful if swallowed.Eye contactCauses serious eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Acute toxicity** May be harmful if swallowed.

**Skin corrosion/irritation**No known effect.

Page 5 / 8

97202566\_PROF\_NG - Tide Professional™ Coldwater Laundry Detergent

Serious eye damage/eye irritation Causes serious eye irritation.

Skin sensitization No known effect. No known effect. Respiratory sensitization Germ cell mutagenicity No known effect. **Neurological Effects** No known effect. No known effect. Reproductive toxicity No known effect. **Developmental toxicity** Teratogenicity No known effect. STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. No known effect. **Aspiration hazard** Carcinogenicity No known effect.

### **Component Information**

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	68585-34-2	>2001 mg/kg	-	-
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	1090.00 mg/kg (rat)	-	-
Propylene glycol	57-55-6	22000 mg/kg (rat)	2000 mg/kg (rabbit)	-
Aziridine, homopolymer, ethoxylated	68130-99-4	5000.00 mg/kg (rat)	-	-
Aziridine, polymer with 2-methyloxirane and oxirane	52501-07-2	2010.00 mg/kg (rat)	-	-
Glycine, N,N-bis[2-[bis(carboxymethyl)amino ]ethyl]-, sodium salt (1:5)	140-01-2	> 5000 mg/kg bw (Read across data (test substance name not indicated); OECD 401; standard acute method; rat)	> 2000 mg/kg bw (OECD 402 and EU Method B.3; standard acute method; rat)	-

Revision Date: 20-Apr-2015

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

The product is not expected to be hazardous to the environment.

Persistence and degradability No information available. Bioaccumulative potential No information available.

No information available. **Mobility** 

No information available. Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused Disposal should be in accordance with applicable regional, national and local laws and **Products** 

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

## 14. TRANSPORT INFORMATION

DOTNot regulatedIMDGNot regulated

## 15. REGULATORY INFORMATION

Revision Date: 20-Apr-2015

### U.S. Federal Regulations

#### **SARA 313**

IATA

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium hydroxide	1310-73-2	1000 lb	-	
Potassium hydroxide	1310-58-3	1000 lb	-	

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

Not regulated

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1310-73-2	1000 lb	-	-	X
Potassium hydroxide	1310-58-3	1000 lb	-	-	X

#### **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

### U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Propylene glycol	57-55-6	X
Ethanol	64-17-5	X

Chemical Name	CAS-No	Massachusetts
Ethanol	64-17-5	X

Chemical Name	CAS-No	Pennsylvania
Propylene glycol	57-55-6	X
2,2'-Oxybisethanol	111-46-6	X
Ethanol	64-17-5	X
Disodium tetraborate pentahydrate	12179-04-3	X

### **International Inventories**

### **United States**

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

#### Canada

This product is in compliance with CEPA for import by P&G.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**CEPA** - Canadian Environmental Protection Act

# **16. OTHER INFORMATION**

Revision Date: 20-Apr-2015

HMIS Ratings	_
Health hazard	1
Flammability	2
Physical hazard	0
Health hazard	1
Flammability	2
Instability	0

 Issuing Date:
 20-Apr-2015

 Revision Date:
 20-Apr-2015

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**