

### MATERIAL SAFETY DATA SHEET

# PRODUCT NAME: GEL BREAK ADHESIVE REMOVER CS05

#### SECTION 1: PRODUCT INFORMATION

**PRODUCT NAME:** Gel Break Adhesive Remover

Manufactured By: Bridgepoint Systems, 4282 W 590 W, Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 8/7/2012

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 2 Health: 1 Reactivity: 0

### SECTION II: INFORMATION ON INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS: TLV OSHA PEL

### SECTION III: HAZARDOUS IDENTIFICATION

**Route of Entry:** Eye, skin contact, ingestion.

**Potential Health Effects:** 

**Eye Contact:** May cause severe irritation to eyes.

**Skin Contact:** May cause irritation upon repeated/ prolonged contact.

Repeated contact causes defatting of the skin.

**Inhalation:** May cause nose, throat and respiratory tract irritation.

Aspiration hazard: breathing product into the lungs during ingestion or vomiting may cause lung injury or death.

**Ingestion:** May cause irritation to mouth, esophagus and stomach. May

cause gastric tract disorder and/or damage.

**Chronic Effects** 

**Carcinogenicity:** No ingredients listed IARC or NTP or ACGIC. .

**Teratogenicity,** The ingredients in this product were found not to be mutagenic

**Mutagenicity,** when tested by the Ames Assay, (OECD Guidelines for

**Reproductive Effects:** chemical testing, sec.471).

**Skin:** Repeated or prolonged exposures to dilutions can cause drying,

defatting and dermatitis.

Page 2 of 5

### SECTION IV: FIRST AID MEASURES

**Eve Contact:** Immediately flush with water for 15 minutes. Holding eyelids open

during flushing. If irritation persists, repeat flushing and obtain medical

attention immediately.

**Skin Contact:** Immediately flush with water for 15 minutes. Seek medical attention if

irritation persists. Remove contaminated clothing and launder before

reuse.

**Inhalation:** Move victim to fresh air. If conscious, have victim take deep, slow

breaths. Seek medical attention if symptoms persist.

**Ingestion:** DO NOT INDUCE VOMITING. Rinse mouth with water, then drink

one glass of water. Seek medical attention. Do not give anything to

victim if unconscious or convulsing.

### SECTION V: FIRE FIGHTING MEASURES

Flammability: Combustible.

Flash Point deg (C,TCC): 104°F

**Means of Extinction:** As appropriate for surrounding fire. Use water, dry chemical,

carbon dioxide or foam.

**Special Fire Hazards:** Fire fighters should wear self-contained breathing apparatus.

**Autoignition** Not applicable.

temperature:

Flame propagation or Not applicable.

burning rate of solid:

**Sensitivity to static** Not applicable.

discharge:

**Unusual Fire and** None expected. As per surrounding fire.

**Explosion Hazards.** 

**Hazardous decomposition** Oxides of carbon, oxides of nitrogen.

products:

### SECTION VI: ACCIDENTAL RELEASE MEASURES

**Leak and Spill**Before attempting clean up, refer to the hazard date provided above. **Procedures:**Small spills may be absorbed with non-reactive absorbent and placed

Small spills may be absorbed with non-reactive absorbent and placed is suitable, covered, labeled container. For large quantities, dispose of in accordance with local, provincial/ state or federal regulations. For large spills prevent from entering sewers and waterways. For

large spills provide diking to prevent spreading.

Page 3 of 5

### SECTION VII: HANDLING AND STORAGE

**Storage** KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from incompatible materials which include acids,

oxidizing materials, reducing sugars and Ammonia Salts.

Storage temperature 0° C Ambient to 30° C (must be stored above 0°

C at all times).

Transport temperature 0° C Ambient to 30° C (must be stored above

0° C at all times).

Keep container closed. Handle and open container with care. Store in a well ventilated place away from incompatible materials. Do not

store near open flame or any potential sources of ignition.

Do not reuse empty containers.

### SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

Gloves: Impervious protective gloves. Eye Protection: Chemical splash goggles.

**Respiratory Protection:** Not normally required if good ventilation is maintained. If mist

is generated during application process, use disposable mist

applicator.

**Other Protective** As required by employer code. Eye bath, safety shower,

**Equipment:** protective clothing.

**Engineering Controls:** General ventilation normally required. If ventilation practices

are not adequate for minimizing exposure, additional ventilation

or exhaust systems may be required.

### SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

<b>Boiling Point</b> (	N/E	<b>Specific Gravity</b>	7.65	Evaporation	similar
deg C)		pound/gal		Rate (water=1):	
% Volatile	<70 %	Solubility in	Complete	pH (as supplied):	Not
(Wt%):		water:			applicable
<b>Physical State:</b>	Liquid	Viscosity:	viscous		
Appearance /	Gel with citrus odor				
Odor:					

### SECTION X: STABILITY AND REACTIVITY

**Conditions for Chemical** Stable.

**Instability:** 

**Incompatible Materials:** Strong oxidizing agents, strong acids.

**Hazardous Decomposition** Oxides of carbon, Oxides of Nitrogen when heated.

Page 4 of 5

### SECTION XI: TOXICOLOGICAL INFORMATION

#### Acute Effects

Orange terpenes have been shown to have low oral toxicity (LD50>5 g/kg) and low dermal toxicity (LD50> 5g/kg) when tested on rabbits. Orange terpenes also showed low toxicity by inhalation (RD50>1 g/kg) when tested on mice. The skin irritancy of limonene in guinea pigs and rabbits is considered moderate and low, respectively. Inhalation may cause irritation of the nose, throat, and respiratory tract.

### Acute Toxity for Glycol Ether DB

Oral LD-50:(rat) 7,292 mg/kg Oral LD-50:(mouse) 2,406 mg/kg Dermal LD-50: (rabbit) 2,764 mg/kg

Skin Irritation (rabbit) slight
Skin Irritation (guinea pig) slight
Eye Irritation (rabbit) moderate

#### Chronic Effects

D-Limonene is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

This product has not been shown to produce genetic changes when tested on bacterial or animal cells. This product does not contain known reproductive or developmental toxins. Prolonged or repeated exposure can cause drying or dermatitis of skin. Improper storage and handling may lead to the formation of a possible skin sensitizer.

Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis.

Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

### SECTION XII: ECOLOGICAL INFORMATION

**Delimonene:** Ecotoxicity: There is no information available at this time for D-limonene. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Sonic studies have shown that certain bacteria and fungi have the ability to degrade terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water.

Persistence/Degradability: D-Limonene is expected to be readily biodegradable. Bioaccumulation/Accumulation: No appreciable bioconcentration is expected in the environment. Mobility in Environment: Orange terpenes volatilize rapidly.

#### **Glycol Ether DB:**

Oxygen Demand Data: BOD-5: 250 mg/g COD (Chemical Oxygen Demand):: 2,080 mg/g

Acute Aquatic Effects Data: 24 h LC-50 (goldfish): 2700 mg/L

96 h LC-50 (bluegill sunfish): 1300 mg/L

Page 5 of 5

### SECTION XIII: DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. <u>All</u> disposal <u>must be</u> in accordance with all federal, state and local regulations.

### SECTION XIV: TRANSPORTATION

**Ground Transportation:** Limited quantity exception applies to inner packages of less than 1.3 gallons. Inner packages containing more than 1.3 gallon. must be transported as NA1993; Flammable Liquid, NOS (D-Limonene), Comb Liq, III.

**Air Transportation:** With a vented seal/cap, this item cannot be shipped via air in accordance with CFR 49 173-24(g). Check regulations for international shipments restrictions.

**Maritime Transportation:** Check regulations for international shipments restrictions.

### SECTION XV: REGULATORY INFORMATION

#### US FEDERAL REGULATIONS

**TSCA Status:** The intentional components of this product are listed.

**SARA 313 – 40CFR372.65:** Glycol Ether DB (CAS # 112-34-5)

CERCLA Reportable Quantities – 40CFR355 APPENDIX A: Yes. Glycol Ether DB

### SECTION XVI: OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A= Not applicable N/D= Not determined N/E= Not established