

MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 6/03/04
Replaces 2/02/04
Printed 6/04/04

DOVE BAR 90 X 1

MSDS ID: 161-091

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DOVE BAR 90 X 1
Product Discriptor: HAND SOAP
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145
3240 BENCHMARK DRIVE
LADSON, SC 29456-3861

II. HAZARDOUS COMPONENTS

Component Name	CAS Number	%	Exposure Limits	Units
NONE				

III. HAZARDS IDENTIFICATION

POSSIBLE ROUTES OF ENTRY: Ingestion, Skin and Inhalation.
SIGNS AND SYMPTOMS OF OVEREXPOSURE:
ACUTE: No irritation to skin, eyes and respiratory tract. If prolonged contact, mild irritation may be possible.
CHRONIC: None known.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Sensitive skin

IV. FIRST AID MEASURES

EYES: Immediately flush with plenty of water. Get medical attention.
SKIN: Flush skin with plenty of water. If irritation develops, get medical attention.
INGESTION: Do not induce vomiting. Get medical attention. NOTE: Never give anything by mouth to an unconscious person.
INHALATION: Remove to fresh air and seek medical attention.

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): N/A FLAME EXTENSION: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: NONE UEL: NONE
UNUSUAL FIRE OR EXPLOSIVE HAZARDS: None known.
EXTINGUISHING MEDIA: Use media suitable for surrounding materials.
FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: Flush small amounts to drain. Collect and return large amounts to container.
This product does not contain a reportable quantity (RQ) under CERCLA.

DOVE BAR 90 X 1

MSDS ID: 161-091

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store at ambient room temperature.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Not normally required.

PROTECTIVE GLOVES: Not normally required.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Not normally required.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: None required.

LOCAL VENTILATION: Not usually required.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: White slippery bar soap, pleasant smelling.

BOILING POINT (DEG F): N/A

FREEZING POINT: N/A

SPECIFIC GRAVITY/BULK DENSITY: 1.04

pH:

pH 1% SOLUTION: 7

VOLATILE BY VOLUME: N/A

WEIGHT % SOLIDS: ND

SOLUBILITY IN WATER: 10% soluble.

VAPOR PRESSURE(mmHg): N/A at N/A

VAPOR DENSITY:

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No data available.

TOXICITY TEST DATA:

No data available

XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA: No data available.

ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

WASTE DISPOSAL METHOD: Dispose of in accordance with Federal, State and Local requirements.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 6/03/04
Replaces 2/02/04
Printed 6/04/04

DOVE BAR 90 X 1

MSDS ID: 161-091

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

TSCA: All ingredients in this product are on TSCA inventory.

CERCLA/EPCRA:

Section 313 Toxic Chemicals: None

LISTED CARCINOGEN: None

NTP: No IARC: No OSHA: No

HMIS RATINGS: HEALTH: 0 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: -

NFPA RATING: HEALTH: 0 FIRE: 0 REACTIVITY:0 SPECIAL:

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

SODIUM ISETHIONATE - CAS #61789-32-0

SODIUM TALLOWATE - CAS #8052-49-0

STEARIC ACID - 57-11-4

SODIUM COCOYL ISETHLONATE - CAS #25155-30-3

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.