

# Wood Care: 2 Component Waterborne Finish

HMIS		NFPA	Personal protective equipment			
Health	1	1	None / Aucune / Ninguno			
Fire Hazard	0	0				
Reactivity	0	0				
Version Number: 3			Preparation date: 2009-11-20			
		1. PRC	DUCT AND COMPANY IDENTIFICATION			
Product name:	oduct name: Wood Care: 2 Component Waterborne Finish					
MSDS #: MS0300329			0329			
Product Code:		516171	9			
Recommended use:		Floor c	are.			
Manufacturer, importer,	supplier:					
LIC Lie e devie stere			Canadian Headquarters			
US Headquarters Diversey, Inc.			Diversey, Inc Canada, Inc. 2401 Bristol Circle			
8310 16th St.			Oakville, Ontario L6H 6P1			
Sturtevant, Wisconsin 531	177-1964		Phone: 1-800-668-3131			
Phone: 1-888-352-2249						
MSDS Internet Address: v						
Emergency telephone n	umper:	1-600-6	351-7145 (U.S.); 1-651-917-6133 (Int'I)			
			2. HAZARDS IDENTIFICATION			
EMERGENCY OVERVIE			ES. MAY BE MILDLY IRRITATING TO SKIN.			
CAUTION. MAT BE MILL			S. MAT DE MILDET IRRITATING TO SKIN.			
Principal routes of expo	osure:		ntact. Skin contact. Inhalation.			
Eye contact:			be mildly irritating to eyes.			
Skin contact:			e mildly irritating to skin.			
Inhalation:		None k None k				
Ingestion:			nown.			
		3. COMP	OSITION/INFORMATION ON INGREDIENTS			
Hazardous components		None				
			4. FIRST AID MEASURES			
Eve contact:		Flush i	nmediately with plenty of water. If irritation develops, get medical attention.			
Skin contact:			h immediately with plenty of water. If irritation develops, get medical attention.			
Inhalation:			cific first aid measures are required.			
Ingestion:			cific first aid measures are required.			
Aggravated Medical Cor	nditions:	None k	nown			
			5. FIRE-FIGHTING MEASURES			
Outtable outly webble		<b>The a a a</b>	duat is not flowmable. Extinguish first using agent suitable for surgery direction			
Suitable extinguishing n Specific hazards:	nedia:	The pro None k	product is not flammable. Extinguish fire using agent suitable for surrounding fire.			
Unusual hazards:		None k				
Specific methods:			cial methods required			
•			·			

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Use personal protective equipment Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin and eyes. HANDLING OF WASTE MATERIALS: Used finish materials (e.g.clean-up rags, steel wool, tacking towels) and sanding dust can spontaneously ignite if improperly discarded. Do not store waste finish materials or sanding dust in a pile or discard into the regular trash. Instead, immediately place all waste materials into a water-filled metal container and discard according to local, state and federal regulations. FOR COMMERICAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure: No special ventilation requirements General room ventilation is adequate

# Personal Protective Equipment No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions Skin and body protection: No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions. Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Liquid Specific gravity: 1.04 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Dispersible Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0 % by wt. pH: 8.0 Explosion limits: - upper: Not determined - lower: Not determined Bulk density: No information available Evaporation Rate No information available Color: White Odor: Slight Amine Melting point/range: Not determined Autoignition temperature: No information available Density: 8.67 lbs/gal 1.04 Kg/L Flash point: > 200 °F > 93.4 °C Viscosity:No information available VOC: 145 g/L (40 CFR §59.400) Dilution pH: No information available.

#### **10. STABILITY AND REACTIVITY**

Stability: Polymerization: Hazardous decomposition products: Materials to avoid: Conditions to avoid: The product is stable Hazardous polymerization does not occur None reasonably foreseeable. None known. Do not freeze.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg
Component Information:	See Section 3
Chronic toxicity:	None known

 Specific effects
 None known

 Carcinogenic effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

# **12. ECOLOGICAL INFORMATION**

Environmental Information:

No data available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

#### **14. TRANSPORT INFORMATION**

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

# **15. REGULATORY INFORMATION**

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: Canada (DSL/NDSL), U.S.A. (TSCA).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

#### **RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Dipropylene glycol dimethyl ether	111109-77-4	-	-	-	-
Water	7732-18-5	-	-	-	-
Polymer	TS*	-	-	-	-
Collodial silica, amorphous	TS*	-	-	-	-

#### **CERCLA/ SARA**

None

Can

CAA HAP/CAA ODS/CWA Priority Pollutants: None

#### SARA 311/312 Hazard Categories

Immediate:	-
Delayed:	-
Fire:	-
Reactivity:	-
Sudden Release of Pressure:	-
ada	

WHMIS hazard class: Non-controlled

# **16. OTHER INFORMATION**

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.