
SAFETY DATA SHEET



Container Size: Up to 32 fl. oz. (946 mL) Larger than 32 fl. oz. (946 mL) All Sizes

NFPA

National Fire Protection Association (U.S.A.)









OXIDIZER
ACID
ALKALI
CORROSIVE
USE NO WATER
RADIATION

Section 1. Identification

Product identifier(s)/

Trademark(s) used on the

label

Other means of identification

Part number :

Recommended use and restrictions

Identified uses

Manufacturer/Supplier : Unelko Corporation

14641 N 74th Street Scottsdale, AZ 85260 USA Fax: 1-480-483-7674 Phone: 1-480-991-7272

(8 AM to 5 PM – Monday-Friday – Arizona Time)

Emergency telephone

number (with hours of

operation)

: ChemTel

1-813-248-0585 1-800-255-3924

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the EYE IRRITATION - Category 2B Á substance or mixture (Mild Irritant, Reversible in 7 days.)

GHS label elements

Signal word : Warning

Hazard statements: Causes eve irritation.

Precautionary statements

Prevention : When storing, handling, transferring or repackaging large quantities, wear eye or face

protection. Wash hands thoroughly after handling.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.



Section 2. Hazards identification

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise : None known.

classified

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Other means of identification

: Not available.

CAS number/other identifiers

CAS number : Not applicable. **Product code** : Not available.

Ingredient name	%	CAS number
Aluminum oxide	10 - 30	1344-28-1
Poly(oxy-1,2-ethanediyl), .alphaundecylomegahydroxy-	10 - 30	34398-01-1
Sodium dodecylbenzenesulfonate	5 - 10	25155-30-0
Dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride	1 - 5	27668-52-6
Sodium hydroxide	0.1 - 1	1310-73-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Avoid contact with eyes. If in contacted with eyes: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Avoid breathing vapor or mist. **If inhaled:** Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Skin contact

: Avoid contact with skin. If in contacted with skin: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.

Ingestion

: Do not ingest. **If ingested:** Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician.



Section 4. First aid measures

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. : May be irritating to mouth, throat and stomach. Ingestion

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

> irritation watering redness

Inhalation No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or

self-contained breathing apparatus.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

decomposition products

Hazardous thermal

: No specific fire or explosion hazard.

: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides

sulfur oxides

halogenated compounds metal oxide/oxides

Special protective actions

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.



Section 5. Fire-fighting measures

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Aluminum oxide Sodium hydroxide	NIOSH REL (United States, 6/2009). TWA: 5 mg/m³, (as Al) 10 hours. Form: Pyro powders and welding fumes OSHA PEL (United States, 6/2010). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³, 8 hours. Form: Total dust ACGIH TLV (United States, 3/2012). TWA: 1 mg/m³ 8 hours. Form: Respirable fraction ACGIH TLV (United States, 3/2012). CEIL: 2 mg/m³ NIOSH REL (United States, 6/2009). CEIL: 2 mg/m³ OSHA PEL (United States, 6/2010). TWA: 2 mg/m³ 8 hours.	

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: None required.

Skin protection

Hand protection : None required.

Body protection : None required.

Other skin protection : None required.

Respiratory protection : None required.

Section 9. Physical and chemical properties

Appearance

Physical state Cream.

Color White to off-white.

Odor : Mint.

Odor threshold : Not applicable.

pH : 4

Melting point : Not applicable. **Boiling point** : Not available. Flash point Non-flammable. **Burning time** : Not applicable. **Burning rate** : Not applicable. **Evaporation rate** : Not applicable. Flammability (solid, gas) : Non-flammable. Lower and upper explosive : Not applicable.

(flammable) limits



Section 9. Physical and chemical properties

Vapor pressure : Not applicable. Vapor density Not applicable.

Relative density : 1.024 : Soluble. Solubility in water Partition coefficient: n-: Not available.

octanol/water

: Not applicable. : Not available. : Not available.

Auto-ignition temperature Decomposition temperature SADT : Cream. **Viscosity**

Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials and acids.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sodium dodecylbenzenesulfonate	LC50 Inhalation Vapor LD50 Oral		310 mg/m³ 438 mg/kg	4 hours
Dimethyloctadecyl[3-(trimethoxysilyl) propyl]ammonium chloride	LC50 Inhalation Vapor	Rat	112 mg/m³	4 hours
	LD50 Oral	Rat	9910 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Sodium dodecylbenzenesulfonate	Eyes - Severe irritant	Rabbit	-	24 hours 250 μg	-
·	Eyes - Severe irritant	Rabbit	-	1%	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-
Dimethyloctadecyl[3-(trimethoxysilyl) propyl]ammonium chloride	Skin - Mild irritant	Rabbit	-	-	-
	Eyes - Mild irritant	Rabbit	-	-	-
Sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1%	-
,	Eyes - Mild irritant	Rabbit	-	400 µg	-
	Eyes - Severe irritant	Rabbit	-	24 hours 50 μg	-
	Eyes - Severe irritant	Rabbit	-	1%	-
	Eyes - Severe irritant	Rabbit	-	0.5 minutes 1 mg	-
	Skin - Mild irritant	Human	-	24 hours 2%	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 mg	-



Section 11. Toxicological information

Sensitization

There is no applicable data.

Mutagenicity

There is no applicable data.

Carcinogenicity

There is no applicable data.

Reproductive toxicity

There is no applicable data.

Teratogenicity

There is no applicable data.

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Aluminum oxide	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

There is no applicable data.

Aspiration hazard

There is no applicable data.

Information on the likely

routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 May be irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

irritation watering redness

Inhalation : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects



Section 11. Toxicological information

General : No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral Dermal	811.3 mg/kg
Dermal	4588.6 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Poly(oxy-1,2-ethanediyl), .alpha undecylomegahydroxy-	Acute EC50 6700 μg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 7100 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Sodium dodecylbenzenesulfonate	Acute EC50 29000 µg/l Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
	Acute EC50 7.81 mg/L Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 5.88 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 112.4 mg/L	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
Sodium hydroxide	Acute EC50 40.38 mg/L Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125000 μg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Sodium dodecylbenzenesulfonate	1.96	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.



Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA
Additional information			
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user: **Transport within user's premises**: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL

73/78 and the IBC Code

: Not available.

Section 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

Clean Water Act (CWA) 311: Sodium dodecylbenzenesulfonate; Sodium hydroxide

Clean Air Act Section 112 (b) Hazardous Air

(b) Hazardous Air Pollutants (HAPs) : Not listed



Section 15. Regulatory information

Clean Air Act Section 602

: Not listed

Class I Substances

Clean Air Act Section 602

: Not listed

Class II Substances

DEA List I Chemicals

(Precursor Chemicals)

: Not listed

DEA List II Chemicals

: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
Aluminum oxide Poly(oxy-1,2-ethanediyl), .alphaundecylomega. -hydroxy-	10 - 30 10 - 30	No. No.	No. No.	No. No.	Yes. Yes.	No. No.
Sodium dodecylbenzenesulfonate Dimethyloctadecyl[3-(trimethoxysilyl)propyl] ammonium chloride	5 - 10 1 - 5	No. No.	No. No.	No. No.	Yes. Yes.	No. No.
Sodium hydroxide	0.1 - 1	No.	No.	No.	Yes.	No.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Aluminum oxide	1344-28-1	10 - 30
Supplier notification	Aluminum oxide	1344-28-1	10 - 30

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: Aluminum oxide; Sodium dodecylbenzenesulfonate

New York : The following components are listed: Sodium dodecylbenzenesulfonate

New Jersey : The following components are listed: Aluminum oxide; Sodium dodecylbenzenesulfonate

Pennsylvania : The following components are listed: Aluminum oxide; Sodium dodecylbenzenesulfonate

California Prop. 65

No products were found.

International regulations



Section 15. Regulatory information

International lists

: Australia inventory (AICS): Not determined. China inventory (IECSC): Not determined.

Japan inventory: Not determined. Korea inventory: Not determined.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined. Taiwan inventory (CSNN): Not determined.

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons

Convention List Schedule

II Chemicals

Chemical Weapons Convention List Schedule

III Chemicals

: Not listed

: Not listed

: Not listed

Section 16. Other information

History

: 15/06/2013 **Date of issue Date of previous issue** : Not applicable.

Version

Revised Section(s) : Not applicable.

: KMK Regulatory Services Inc. **Original SDS Prepared By**

References : Not available.

: ATE = Acute Toxicity Estimate **Key to abbreviations**

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.