

**SDS Report** No.: CANEC2002613503 Date: 02 Apr 2020 Page 1 of 1

ZHEJIANG SHUNAN INDUSTRY&TRADE CO.,LTD
NO.8 XINYUAN ROAD, DONGYANG CITY, ZHEJIANG PROVINCE, CHINA

#### This report is to supersede report CANEC2002613502

SGS Job No. 20683293 Sample Name : Hand Sanitizer

End Uses : Hand Washing and sterilizing

Composition/Ingredient of sample

(as per client submission)

: See section 3 Composition/information on ingredients on the SDS report

Job Receiving Date : 11 Mar 2020

SDS Preparation Period : 11 Mar 2020-17 Mar 2020

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in

accordance with US Regulations Relating to Labor 29 CFR 1910.1200, and

is provided per attached.

Remark:

The SDS is prepared based on the information provided by client.

This report updates Transport information, Flash point.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zm guan

Approved Signatory

Luguan



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction sixues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (85-75) 8307 1443.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020

# 1 Identification

· Product identifier

· Trade name: <u>Hand Sanitizer</u>

- · Recommended use of the chemical and restrictions on use:
- · Application of the substance / the preparation: Hand Washing and sterilizing

· Details of the supplier of the safety data sheet

- · Manufacturer/Supplier: ZHEJĬAŇG SHUNAN INDUSTRY&TRADE CO.,LTD
- · Full address: NO.8 XINYUAN ROAD · DONGYANG CITY · ZHEJIANG PROVINCE · CHINA
- · Phone number: 0579-89903102 · Email: sales4@yiwushunan.com
- · Other U.S. contact point: Not available
- · Further information obtainable from: ZHEJIANG SHUNAN INDUSTRY&TRADE CO.,LTD
- · Emergency telephone number:

Poison Center

Tel: +1 800 222 1222

· Reference Number: CANEC2002613503,20683293

## 2 Hazard(s) identification

· Classification of the substance or mixture

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200)



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

· Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

- · Label elements
- · Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- · Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapor.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020

Trade name: Sanitizer

(Contd. of page 1)

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazards not otherwise classified (HNOC) No further relevant information available.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to Section 16.

· Composition:				
64-17-5	ethanol	Flam. Liq. 2, H225	75%	
7732-18-5	Water		24.8972%	
54182-57-9	Carbomer		0.028%	
85507-69-3	Aloe Barbadensis Leaf Juice		0.012%	
1406-18-4	Tocopheryl Acetate (Vitamin E)		0.015%	
56-81-5	Glycerin		0.0058%	
57-55-6	Propylene Glycol		0.012%	
102-71-6	Triethanolamine		0.03%	

## 4 First-aid measures

- · Description of first aid measures
- · General description: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

#### 5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Special protective equipment and precautions for firefighters
- · Protective equipment: No special measures required.

USA

*Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020* 

Trade name: Sanitizer

(Contd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 7 Handling and storage

- Precautions for safe handling: For the general occupational hygienic measures refer to Section 8.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

8	E	xposure	control.	S/	personal	pro	tecti	on
---	---	---------	----------	----	----------	-----	-------	----

· Component	Components with limit values that require monitoring at the workplace:		
64-17-5 eth	64-17-5 ethanol (75%)		
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm		
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm		
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm		
56-81-5 Gly	cerol (0.0045%)		
PEL (USA)	Long-term value: 15*5** mg/m³		
	mist; *total dust **respirable fraction		
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.		
9004-34-6	Cellulose (0.003%)		
PEL (USA)	Long-term value: 15*5** mg/m³		
	*total dust **respirable fraction		
REL (USA)	Long-term value: $10*5**mg/m^3$		
, ,	*total dust **respirable fraction		
TLV (USA)	Long-term value: 10 mg/m³		
Regulatory information			

#### · Regulatory information

PEL (USA): Guide to Occupational Exposure Values (OSHA PELs)

REL (USA): Guide to Occupational Exposure Values (NIOSH RELs)

TLV (USA): Guide to Occupational Exposure Values (ACGIH)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020

Trade name: Sanitizer

(Contd. of page 3)

See Section 7 for information about design of technical facilities.

- · Personal protective equipment:
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties	
· General Information	
· Appearance:	
Form:	Liquid
Color:	Transparent
· Odor:	Alcohol taste
· Odor threshold:	Not available
· pH-value:	Not available
· Change in condition	
Melting point/Freezing point:	Not available
Initial boiling point and boiling range:	Not available
· Flash point:	22.5 °C (72.5 °F)
· Flammability (solid, gaseous):	Not available
· Auto-Ignition temperature:	Not available
Decomposition temperature:	Not available
Explosion limits:	
Lower:	Not available
Upper:	Not available
· Vapor pressure:	Not available
· Density:	Not available
· Relative density:	Not available
· Vapor density:	Not available

(Contd. on page 5)

Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020

Trade name: Sanitizer

(Contd. of page 4)

· Evaporation rate:	Not available
Solubility in / Miscibility with Water:	Not available
· Partition coefficient (n-octanol/water):	Not available
· Viscosity:	
Dynamic:	Not available
Kinematic:	Not available
· Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity: Data not available

· Chemical stability: Data not available

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

· Acute toxicity:

Tiene toxicity.					
· LD/LC50	· LD/LC50 values that are relevant for classification:				
64-17-5 et	64-17-5 ethanol				
Oral	LD50	7,060 mg/kg (rat)			
Inhalative	LC50/4 h	20,000 mg/l (rat)			
56-81-5 G	56-81-5 Glycerol				
Oral	LD50	12,600 mg/kg (rat)			
9004-34-6 Cellulose					
Oral	LD50	>5,000 mg/kg (rat)			

- Skin corrosion/irritation: Irritating effect possible.
- · Serious eye damage/irritation: Irritating effect possible.
- · Respiratory or skin sensitization:

Sensitization possible.

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

USA

Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020

Trade name: Sanitizer

(Contd. of page 5)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1170	
UN proper shipping name		
DOT	Ethanol mixture	
<i>IMDG</i>	ETHANOL (ETHYL ALCOHOL) mixture	
IATA	ETHANOL mixture	
Transport hazard class(es)		
DOT		
NAMMAE 1000		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable	
Special precautions for user	Warning: Flammable liquids	
EMS Number:	F-E,S-D	

*Printing date 04/02/2020 Version number 1 Reviewed on 04/02/2020* 

Trade name: Sanitizer

(Contd. of page 6)

· Transport in bulk according to Annex II of			
MARPOL73/78 and the IBC Code	Not applicable		
Transport/Additional information:			
· DOT			
Quantity limitations	On passenger aircraft/rail: 5 L		
	On cargo aircraft only: 60 L		
· IMDG			
· Limited quantities (LQ)	IL		
Excepted quantities (EQ)	Code: E2		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 500 ml		
· UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) MIXTURE, 3, II		

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

None of the ingredients is tisted.				
· TSCA (Toxic Substances Control Act):				
64-17-5	ethanol	ACTIVE		
63-42-3	Lactose	ACTIVE		
1406-18-4	Vitamin E	ACTIVE		
97-59-6	allantoin	ACTIVE		
56-81-5	Glycerol	ACTIVE		
11138-66-2	Xanthan gum	ACTIVE		
9004-34-6	Cellulose	ACTIVE		
7732-18-5	Water	ACTIVE		

· Proposition 65

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

#### · New Jersey Right-to-Know List:

64-17-5 ethanol

56-81-5 Glycerol

9004-34-6 Cellulose

#### · New Jersey Special Hazardous Substance List:

64-17-5 ethanol

CA, MU, TE, F3

Version number 1 Reviewed on 04/02/2020 Printing date 04/02/2020

Trade name: Sanitizer

(Contd. of page 7)

· Pennsylvai	· Pennsylvania Right-to-Know List:				
64-17-5	ethanol				
56-81-5	Glycerol				
9004-34-6	Cellulose				
· Pennsylvai	· Pennsylvania Special Hazardous Substance List:				
None of the	None of the ingredients is listed.				

· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed	

#### 16 Other information

· Relevant hazard statements

H225 Highly flammable liquid and vapor.

\*

The contents and format of this SDS are in accordance with 29 CFR 1910.1200.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Date of preparation / last revision 04/02/2020 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Flam. Liq. 2: Flammable liquids - Category 2

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

End of document