



TECHNICAL ASSISTANCE CORPORATION

**V-1 (White) / V-2 (Pink)****Safety Data Sheet**

according to Regulation (EC) No. 453/2010

Date of issue: 21/02/2014

Revision date: 07/02/2014

Supersedes: 13/05/2011

Version: 9.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**Industrial/Professional use spec : Industrial  
For professional use only

Use of the substance/mixture : Crystallizer substance of natural stone, marble or marble products, terrazzo, hydraulic mosaic, polished concrete, granite and artificial stones floors.

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**COOR & KLEEVER  
Brusi, 102  
08006 Barcelona - Spain  
T +34 93 209 08 00 - F +34 93 209 89 82  
[coorkleever@coorkleever.com](mailto:coorkleever@coorkleever.com)**1.4. Emergency telephone number**

Emergency number : ChemTel Inc. 800-255-3924 / 24 hours

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302

Eye Dam. 1 H318

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R25

Full text of R-phrases: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05



GHS07

Signal word (CLP) : Danger

Hazardous ingredients : magnesium hexafluorosilicate

Hazard statements (CLP) : H302 - Harmful if swallowed

H318 - Causes serious eye damage

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear eye protection, protective gloves

P301+P312 - IF SWALLOWED: Call a POISON CENTER if you feel unwell

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/container to appropriate collection point.

**2.3. Other hazards**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

# V-1 (White) / V-2 (Pink)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
magnesium hexafluorosilicate	(CAS No) 7782-41-4 (EC no) 231-954-8;231-945-8;231-978-9 (EC index no) 009-018-00-3 (REACH-no) 01-2119980031-47	15 - 20	T; R25
Name	Product identifier	Specific concentration limits	
magnesium hexafluorosilicate	(CAS No) 7782-41-4 (EC no) 231-954-8;231-945-8;231-978-9 (EC index no) 009-018-00-3 (REACH-no) 01-2119980031-47	(1 =< C < 10) Xn;R22 (10 =< C) T;R25	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
magnesium hexafluorosilicate	(CAS No) 7782-41-4 (EC no) 231-954-8;231-945-8;231-978-9 (EC index no) 009-018-00-3 (REACH-no) 01-2119980031-47	15 - 20	Acute Tox. 3 (Oral), H301 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of R- and H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : Causes serious eye damage.
- Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# V-1 (White) / V-2 (Pink)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls / Personal protection equipment.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids and bases, Heat sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

magnesium hexafluorosilicate (7782-41-4)		
EU	Local name	Fluorine
EU	IOELV TWA (mg/m <sup>3</sup> )	1,58 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	1 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	3,16 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	2 ppm
United Kingdom	Local name	Fluorine
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1,6 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1,6 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	1 ppm

magnesium hexafluorosilicate (7782-41-4)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	2,5 mg/m <sup>3</sup>
Long-term - systemic effects, inhalation	2,5 mg/m <sup>3</sup>
Long-term - local effects, inhalation	2,5 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	0,9 mg/l
PNEC aqua (marine water)	0,9 mg/l
PNEC (Soil)	
PNEC soil	11 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	51 mg/l

# V-1 (White) / V-2 (Pink)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : According to product's reference.  
Odour : Characteristic.  
Odour threshold : No data available  
pH : 2 - 3  
Relative evaporation rate (butyl acetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : Not flammable.  
Vapour pressure : No data available  
Vapour density : No data available  
Relative density : No data available  
Solubility : No data available  
Log Pow : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : No data available  
Oxidising properties : No data available  
Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Fumes. Carbon monoxide. Carbon dioxide.

# V-1 (White) / V-2 (Pink)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

V-1 (White) / V-2 (Pink)	
ATE CLP (oral)	500,000 mg/kg bodyweight

magnesium hexafluorosilicate (7782-41-4)	
LD50 oral rat	291 mg/kg bodyweight
LC50 inhalation rat (mg/l)	3,9 g/m <sup>3</sup>
ATE CLP (oral)	291,000 mg/kg bodyweight
ATE CLP (vapours)	3,900 mg/l/4h
ATE CLP (dust,mist)	3,900 mg/l/4h

Skin corrosion/irritation : Not classified  
pH: 2 - 3

Serious eye damage/irritation : Causes serious eye damage.  
pH: 2 - 3

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Harmful if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

magnesium hexafluorosilicate (7782-41-4)	
LC50 fishes	100 mg/l
EC50 Daphnia	100 mg/l
ErC50 (algae)	27,4 mg/l

#### 12.2. Persistence and degradability

V-1 (White) / V-2 (Pink)	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

V-1 (White) / V-2 (Pink)	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

V-1 (White) / V-2 (Pink)	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

#### 12.6. Other adverse effects

: Avoid release to the environment

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to ...

Ecology - waste materials : Avoid release to the environment.



# V-1 (White) / V-2 (Pink)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

No dangerous good in sense of transport regulations

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### 14.6.1. Overland transport

No additional information available

##### 14.6.2. Transport by sea

No additional information available

##### 14.6.3. Air transport

No additional information available

##### 14.6.4. Inland waterway transport

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	V-1 (White) / V-2 (Pink)
--	--------------------------

Contains no REACH candidate substance

Seveso Information :

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

See Annex: Exposure Scenarios.

For the following substances of this mixture a chemical safety assessment has been carried out

magnesium hexafluorosilicate

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

## V-1 (White) / V-2 (Pink)

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H301	Toxic if swallowed
H302	Harmful if swallowed
H318	Causes serious eye damage
H412	Harmful to aquatic life with long lasting effects
R25	Toxic if swallowed
T	Toxic

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

